

**AC Smith** | Water Purifiers



# TASTE OF PURITY AND HEALTH



## RO + UV

A promise of pure and safe water is delivered by our Patented Side Stream Membrane. The RO + UV dual technology gives the benefit of double purification to you by removing harmful chemicals, pesticides, heavy metals and disease causing microorganisms.



## 7 STAGE PURIFICATION

Our 7 stage purification system undoes what the world has done to water. At the touch of a button, you get to water the way it was meant to be.



## INSTANT HOT / COLD

A machine that can dispense mineralized hot/cold water in an instant. It gives you cold water for a tiring sunny day & hot water for your healthy green tea.



## MIN-TECH (+MINERALISER TECHNOLOGY)

The MIN-TECH (Mineraliser Technology) adds essential minerals to the water. This ensures that the water tastes fresh, and natural with a balanced pH – level.

# Introducing A. O. Smith's Floor Standing Water Purifiers

## LED SCREEN FUNCTION



A. O. Smith's dedicated electronics connected to a USB water purifier will check, analyze and evaluate the operation of the machine, filter and error messages (if any) to ensure you and your family always have the purest source of water.

1 Filter in good condition

2 Filter replacement indicator

3 Filter core replacement indicator



### Water Level Indicator.

The level indicators show the quantum of pure water available in the system.



### Advance Alert.

The Advance Alert is a handy system that lets you know if the RO membrane or other filters need changing.



### Child-Lock Button.

The Child-Lock feature prevents your kids from accidentally starting the flow of hot water and possibly scalding themselves.

## TECHNICAL SPECIFICATIONS

Product Line	ADR75-V-ET-1
Function	Normal / Hot / Cold Water
Dimensions(W x H x D) (mm)	380 x 420 x 1220
Voltage	220V AC/50Hz
Power Rating	630W
Heating Power	500W
Cold Water	85W
Membrane Capacity	Up to 75GPD
Heating Capacity	4L/H (≥90°C)
Water Tank	Up to 7L
Hot Tank	Up to 2L
Cold Tank	Up to 2L
Weight (kg)	38 Kg
Suitable Inlet Water Pressure	7psi – 30psi
Inlet Water Temperature	5~38°C
Filtration Stages	7 Stage Purification





**Registered Office**

**A. O. Smith India Water Products Private Limited**

Plot No. 300, Phase-2, KIADB Industrial Area, Harohalli, Kanakapura Taluk, Ramanagara District - 562 112, Karnataka, India.

Customer Care No. 1800-103-2468/1860-500-2468 ■ Website: [www.aosmithindia.com](http://www.aosmithindia.com)

CIN: U31909KA2006PTC040282