



## Series description: Wilo-CronoNorm-NL

Wilo-CronoNorm-NL



Similar to figure

CronoNorm-NL



### Design type

Single-stage, low-pressure centrifugal pump with axial suction, mounted on a baseplate.

### Application

- Pumping of heating water (acc. to VDI 2035), cold water and water/glycol mixtures without abrasive substances in heating, cold water and cooling systems.
- Applications for irrigation, building services, general industry, power stations, etc.

### Equipment/function

Single-stage low-pressure centrifugal pump in monobloc design with coupling, coupling guard, motor and baseplate

- Mechanical shaft seal or stuffing box

### Scope of delivery

- Pump
- Installation and operating instructions
- Pump with free shaft end **or**
- Pump on baseplate with coupling and coupling guard, without motor **or**
- Completely mounted pump on baseplate with electric motor

### Type key

Example	<b>NL 40/200B-11/2</b>
<b>NL</b>	Standard pump with axial suction
<b>40</b>	DN for the pressure flange
<b>200</b>	Impeller nominal diameter [mm]
<b>B</b>	Hydraulic version
<b>11</b>	Rated power P2 [kW]
<b>2</b>	Number of poles

### Technical data

- Permissible temperature range of -20°C to +120°C
- Mains connection 3~400 V, 50 Hz
- Protection class IP 55
- Nominal diameter DN 32 to DN 150
- Max. operating pressure 16 bar

### Materials

- Pump housing and pressure lid: EN-GJL-250
- Bearing bracket: EN-GJL-250
- Impeller: EN-GJL-250 (special version: G-CuSn10)
- Shaft: X20Cr13
- Mechanical seal: AQ1EGG (other mechanical seals on request)

### Description/construction

- Single-level, low-pressure centrifugal pump as baseplate pump with axial suction ports with flanged bearing bracket and axle fastening for flexibly coupled drives
- Spacer coupling (sleeve coupling) available optionally, they provide the option to leave the motor in position when dismantling the rotor unit

### Special features/product advantages

- Reduced life-cycle costs through optimised efficiency levels
- Bidirectional, force-flushed mechanical seal
- Low NPSH values, best cavitation properties
- Shaft coupling with or without spacer coupling

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 32/125-0.55/2	0.55 kW	4108876
CronoNorm-NL 32/125-0.75/2	0.75 kW	4108878
CronoNorm-NL 32/125-1.1/2	1.10 kW	4108880
CronoNorm-NL 32/125-1.5/2	1.50 kW	4108882
CronoNorm-NL 32/125-2.2/2	2.20 kW	4108884
CronoNorm-NL 32/160-1.5/2	1.50 kW	4108892
CronoNorm-NL 32/160-2.2/2	2.20 kW	4108894
CronoNorm-NL 32/160-3/2	3.00 kW	4108896
CronoNorm-NL 32/160-4/2	4.00 kW	4108898
CronoNorm-NL 32/160-5.5/2	5.50 kW	4108900
CronoNorm-NL 32/200-2.2/2	2.20 kW	4108910
CronoNorm-NL 32/200-3/2	3.00 kW	4108912
CronoNorm-NL 32/200-4/2	4.00 kW	4108914
CronoNorm-NL 32/200-5.5/2	5.50 kW	4108916
CronoNorm-NL 32/200-7.5/2	7.50 kW	4108918
CronoNorm-NL 32/200-9/2	9.00 kW	4108920
CronoNorm-NL 32/200-11/2	11.00 kW	4108922
CronoNorm-NL 32/250-7.5/2	7.50 kW	4108932
CronoNorm-NL 32/250-9/2	9.00 kW	4108934
CronoNorm-NL 32/250-11/2	11.00 kW	4108936
CronoNorm-NL 32/250-15/2	15.00 kW	4108938
CronoNorm-NL 40/125-1.1/2	1.10 kW	4108944
CronoNorm-NL 40/125-1.5/2	1.50 kW	4108946
CronoNorm-NL 40/125-2.2/2	2.20 kW	4108948
CronoNorm-NL 40/125-3/2	3.00 kW	4108950
CronoNorm-NL 40/160-2.2/2	2.20 kW	4108963
CronoNorm-NL 40/160-3/2	3.00 kW	4108964
CronoNorm-NL 40/160-4/2	4.00 kW	4108966
CronoNorm-NL 40/160-5.5/2	5.50 kW	4108968
CronoNorm-NL 40/160-7.5/2	7.50 kW	4108970
CronoNorm-NL 40/160-9/2	9.00 kW	4108972
CronoNorm-NL 40/200-5.5/2	5.50 kW	4108984
CronoNorm-NL 40/200-7.5/2	7.50 kW	4108986
CronoNorm-NL 40/200-9/2	9.00 kW	4108988
CronoNorm-NL 40/200-11/2	11.00 kW	4108990
CronoNorm-NL 40/200-15/2	15.00 kW	4108992
CronoNorm-NL 40/200-18.5/2	18.50 kW	4108994
CronoNorm-NL 40/250-7.5/2	7.50 kW	4109004
CronoNorm-NL 40/250-9/2	9.00 kW	4109006
CronoNorm-NL 40/250-11/2	11.00 kW	4109008
CronoNorm-NL 40/250-15/2	15.00 kW	4109010
CronoNorm-NL 40/250-18.5/2	18.50 kW	4109012
CronoNorm-NL 40/315-15/2	15.00 kW	4109022
CronoNorm-NL 40/315-18.5/2	18.50 kW	4109024
CronoNorm-NL 40/315-22/2	22.00 kW	4109026
CronoNorm-NL 40/315-30/2	30.00 kW	4109028
CronoNorm-NL 40/315-37/2	37.00 kW	4109030

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 50/125-1.5/2	1.50 kW	4109038
CronoNorm-NL 50/125-2.2/2	2.20 kW	4109040
CronoNorm-NL 50/125-3/2	3.00 kW	4109042
CronoNorm-NL 50/125-4/2	4.00 kW	4109044
CronoNorm-NL 50/125-5.5/2	5.50 kW	4109046
CronoNorm-NL 50/160-3/2	3.00 kW	4109058
CronoNorm-NL 50/160-4/2	4.00 kW	4109060
CronoNorm-NL 50/160-5.5/2	5.50 kW	4109062
CronoNorm-NL 50/160-7.5/2	7.50 kW	4109064
CronoNorm-NL 50/160-9/2	9.00 kW	4109066
CronoNorm-NL 50/160-11/2	11.00 kW	4109068
CronoNorm-NL 50/160-15/2	15.00 kW	4109070
CronoNorm-NL 50/200-7.5/2	7.50 kW	4109080
CronoNorm-NL 50/200-9/2	9.00 kW	4109082
CronoNorm-NL 50/200-11/2	11.00 kW	4109084
CronoNorm-NL 50/200-15/2	15.00 kW	4109086
CronoNorm-NL 50/200-18.5/2	18.50 kW	4109088
CronoNorm-NL 50/200-22/2	22.00 kW	4109090
CronoNorm-NL 50/250-11/2	11.00 kW	4109100
CronoNorm-NL 50/250-15/2	15.00 kW	4109102
CronoNorm-NL 50/250-18.5/2	18.50 kW	4109104
CronoNorm-NL 50/250-22/2	22.00 kW	4109106
CronoNorm-NL 50/250-30/2	30.00 kW	4109108
CronoNorm-NL 50/315-15/2	15.00 kW	4109118
CronoNorm-NL 50/315-18.5/2	18.50 kW	4109120
CronoNorm-NL 50/315-22/2	22.00 kW	4109122
CronoNorm-NL 50/315-30/2	30.00 kW	4109124
CronoNorm-NL 50/315-37/2	37.00 kW	4109126
CronoNorm-NL 50/315-45/2	45.00 kW	4109128
CronoNorm-NL 50/315-55/2	55.00 kW	4109130
CronoNorm-NL 50/315-75/2	75.00 kW	4109132
CronoNorm-NL 65/125-3/2	3.00 kW	4109140
CronoNorm-NL 65/125-4/2	4.00 kW	4109142
CronoNorm-NL 65/125-5.5/2	5.50 kW	4109144
CronoNorm-NL 65/125-7.5/2	7.50 kW	4109146
CronoNorm-NL 65/125-9/2	9.00 kW	4109148
CronoNorm-NL 65/160-5.5/2	5.50 kW	4109156
CronoNorm-NL 65/160-7.5/2	7.50 kW	4109158
CronoNorm-NL 65/160-9/2	9.00 kW	4109160
CronoNorm-NL 65/160-11/2	11.00 kW	4109162
CronoNorm-NL 65/160-15/2	15.00 kW	4109164
CronoNorm-NL 65/160-18.5/2	18.50 kW	4109166
CronoNorm-NL 65/200-9/2	9.00 kW	4109178
CronoNorm-NL 65/200-11/2	11.00 kW	4109180
CronoNorm-NL 65/200-15/2	15.00 kW	4109182
CronoNorm-NL 65/200-18.5/2	18.50 kW	4109184
CronoNorm-NL 65/200-22/2	22.00 kW	4109186

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 65/200-30/2	30.00 kW	4109188
CronoNorm-NL 65/250-18.5/2	18.50 kW	4109198
CronoNorm-NL 65/250-22/2	22.00 kW	4109200
CronoNorm-NL 65/250-30/2	30.00 kW	4109202
CronoNorm-NL 65/250-37/2	37.00 kW	4109204
CronoNorm-NL 65/250-45/2	45.00 kW	4109206
CronoNorm-NL 80/160-7.5/2	7.50 kW	4109228
CronoNorm-NL 80/160-9/2	9.00 kW	4109230
CronoNorm-NL 80/160-11/2	11.00 kW	4109232
CronoNorm-NL 80/160-15/2	15.00 kW	4109234
CronoNorm-NL 80/160-18.5/2	18.50 kW	4109236
CronoNorm-NL 80/160-22/2	22.00 kW	4109238
CronoNorm-NL 80/160-30/2	30.00 kW	4109240
CronoNorm-NL 80/200-15/2	15.00 kW	4109252
CronoNorm-NL 80/200-18.5/2	18.50 kW	4109254
CronoNorm-NL 80/200-22/2	22.00 kW	4109256
CronoNorm-NL 80/200-30/2	30.00 kW	4109258
CronoNorm-NL 80/200-37/2	37.00 kW	4109260
CronoNorm-NL 80/200-45/2	45.00 kW	4109262
CronoNorm-NL 80/250-22/2	22.00 kW	4109272
CronoNorm-NL 80/250-30/2	30.00 kW	4109274
CronoNorm-NL 80/250-37/2	37.00 kW	4109276
CronoNorm-NL 80/250-45/2	45.00 kW	4109278
CronoNorm-NL 80/250-55/2	55.00 kW	4109280
CronoNorm-NL 100/160-18.5/2	18.50 kW	4109310
CronoNorm-NL 100/160-22/2	22.00 kW	4109312
CronoNorm-NL 100/160-30/2	30.00 kW	4109314
CronoNorm-NL 100/160-37/2	37.00 kW	4109316
CronoNorm-NL 100/200-18.5/2	18.50 kW	4109328
CronoNorm-NL 100/200-22/2	22.00 kW	4109330
CronoNorm-NL 100/200-30/2	30.00 kW	4109332
CronoNorm-NL 100/200-37/2	37.00 kW	4109334
CronoNorm-NL 100/200-45/2	45.00 kW	4109336
CronoNorm-NL 100/250-30/2	30.00 kW	4109348
CronoNorm-NL 100/250-37/2	37.00 kW	4109350
CronoNorm-NL 100/250-45/2	45.00 kW	4109352
CronoNorm-NL 100/250-55/2	55.00 kW	4109354
CronoNorm-NL 100/250-75/2	75.00 kW	4109356
CronoNorm-NL 100/250-90/2	90.00 kW	4109358
CronoNorm-NL 125/200-55/2	55.00 kW	4109388
CronoNorm-NL 125/200-75/2	75.00 kW	4109390
CronoNorm-NL 125/200-90/2	90.00 kW	4109392
CronoNorm-NL 125/200-110/2	110.00 kW	4109394
CronoNorm-NL 32/160B-1.5/2	1.50 kW	4110551
CronoNorm-NL 32/160B-2.2/2	2.20 kW	4110553
CronoNorm-NL 32/160B-3/2	3.00 kW	4110555
CronoNorm-NL 32/160B-4/2	4.00 kW	4110557

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 32/160B-5.5/2	5.50 kW	4110559
CronoNorm-NL 32/200B-2.2/2	2.20 kW	4110569
CronoNorm-NL 32/200B-3/2	3.00 kW	4110571
CronoNorm-NL 32/200B-4/2	4.00 kW	4110573
CronoNorm-NL 32/200B-5.5/2	5.50 kW	4110575
CronoNorm-NL 32/200B-7.5/2	7.50 kW	4110577
CronoNorm-NL 32/200B-9/2	9.00 kW	4110579
CronoNorm-NL 32/200B-11/2	11.00 kW	4110581
CronoNorm-NL 50/200-22/2	22.00 kW	4109091
CronoNorm-NL 40/125-2.2/2	2.20 kW	4108949
CronoNorm-NL 50/125-1.5/2	1.50 kW	4109039
CronoNorm-NL 80/160-18.5/2	18.50 kW	4109237
CronoNorm-NL 125/200-75/2	75.00 kW	4109391
CronoNorm-NL 50/315-55/2	55.00 kW	4109131
CronoNorm-NL 40/315-22/2	22.00 kW	4109027
CronoNorm-NL 100/200-45/2	45.00 kW	4109337
CronoNorm-NL 80/250-22/2	22.00 kW	4109273
CronoNorm-NL 32/125-0.55/2	0.55 kW	4108877
CronoNorm-NL 80/160-7.5/2	7.50 kW	4109229
CronoNorm-NL 32/160B-4/2	4.00 kW	4110558
CronoNorm-NL 50/315-45/2	45.00 kW	4109129
CronoNorm-NL 50/160-9/2	9.00 kW	4109067
CronoNorm-NL 80/250-45/2	45.00 kW	4109279
CronoNorm-NL 32/160-5.5/2	5.50 kW	4108901
CronoNorm-NL 40/250-7.5/2	7.50 kW	4109005
CronoNorm-NL 65/125-9/2	9.00 kW	4109149
CronoNorm-NL 100/250-45/2	45.00 kW	4109353
CronoNorm-NL 80/200-30/2	30.00 kW	4109259
CronoNorm-NL 50/160-7.5/2	7.50 kW	4109065
CronoNorm-NL 32/160-3/2	3.00 kW	4108897
CronoNorm-NL 32/200B-9/2	9.00 kW	4110580
CronoNorm-NL 32/200-7.5/2	7.50 kW	4108919
CronoNorm-NL 50/160-15/2	15.00 kW	4109071
CronoNorm-NL 80/160-30/2	30.00 kW	4109241
CronoNorm-NL 65/200-22/2	22.00 kW	4109187
CronoNorm-NL 32/160B-3/2	3.00 kW	4110556
CronoNorm-NL 100/250-37/2	37.00 kW	4109351
CronoNorm-NL 40/200-11/2	11.00 kW	4108991
CronoNorm-NL 65/200-9/2	9.00 kW	4109179
CronoNorm-NL 40/125-1.1/2	1.10 kW	4108945
CronoNorm-NL 125/200-55/2	55.00 kW	4109389
CronoNorm-NL 100/160-30/2	30.00 kW	4109315
CronoNorm-NL 32/200B-4/2	4.00 kW	4110574
CronoNorm-NL 100/250-90/2	90.00 kW	4109359
CronoNorm-NL 32/125-2.2/2	2.20 kW	4108885
CronoNorm-NL 50/160-3/2	3.00 kW	4109059
CronoNorm-NL 100/200-22/2	22.00 kW	4109331

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 65/160-5.5/2	5.50 kW	4109157
CronoNorm-NL 32/125-1.1/2	1.10 kW	4108881
CronoNorm-NL 80/250-37/2	37.00 kW	4109277
CronoNorm-NL 40/160-9/2	9.00 kW	4108973
CronoNorm-NL 32/160-4/2	4.00 kW	4108899
CronoNorm-NL 40/160-5.5/2	5.50 kW	4108969
CronoNorm-NL 40/250-15/2	15.00 kW	4109011
CronoNorm-NL 65/250-45/2	45.00 kW	4109207
CronoNorm-NL 65/250-18.5/2	18.50 kW	4109199
CronoNorm-NL 40/160-7.5/2	7.50 kW	4108971
CronoNorm-NL 50/200-15/2	15.00 kW	4109087
CronoNorm-NL 40/250-11/2	11.00 kW	4109009
CronoNorm-NL 100/250-55/2	55.00 kW	4109355
CronoNorm-NL 65/200-18.5/2	18.50 kW	4109185
CronoNorm-NL 100/160-18.5/2	18.50 kW	4109311
CronoNorm-NL 32/200B-5.5/2	5.50 kW	4110576
CronoNorm-NL 100/200-37/2	37.00 kW	4109335
CronoNorm-NL 40/160-4/2	4.00 kW	4108967
CronoNorm-NL 32/160B-1.5/2	1.50 kW	4110552
CronoNorm-NL 100/250-30/2	30.00 kW	4109349
CronoNorm-NL 50/315-37/2	37.00 kW	4109127
CronoNorm-NL 32/160-1.5/2	1.50 kW	4108893
CronoNorm-NL 65/200-30/2	30.00 kW	4109189
CronoNorm-NL 32/250-7.5/2	7.50 kW	4108933
CronoNorm-NL 40/200-5.5/2	5.50 kW	4108985
CronoNorm-NL 32/200B-7.5/2	7.50 kW	4110578
CronoNorm-NL 50/250-22/2	22.00 kW	4109107
CronoNorm-NL 40/315-15/2	15.00 kW	4109023
CronoNorm-NL 65/125-4/2	4.00 kW	4109143
CronoNorm-NL 32/250-9/2	9.00 kW	4108935
CronoNorm-NL 40/250-18.5/2	18.50 kW	4109013
CronoNorm-NL 50/160-4/2	4.00 kW	4109061
CronoNorm-NL 80/250-30/2	30.00 kW	4109275
CronoNorm-NL 65/125-7.5/2	7.50 kW	4109147
CronoNorm-NL 50/250-15/2	15.00 kW	4109103
CronoNorm-NL 40/315-18.5/2	18.50 kW	4109025
CronoNorm-NL 80/160-9/2	9.00 kW	4109231
CronoNorm-NL 80/200-22/2	22.00 kW	4109257
CronoNorm-NL 32/200-9/2	9.00 kW	4108921
CronoNorm-NL 32/125-0.75/2	0.75 kW	4108879
CronoNorm-NL 40/200-7.5/2	7.50 kW	4108987
CronoNorm-NL 50/125-5.5/2	5.50 kW	4109047
CronoNorm-NL 40/250-9/2	9.00 kW	4109007
CronoNorm-NL 65/160-7.5/2	7.50 kW	4109159
CronoNorm-NL 125/200-110/2	110.00 kW	4109395
CronoNorm-NL 40/200-18.5/2	18.50 kW	4108995
CronoNorm-NL 50/315-22/2	22.00 kW	4109123

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 65/125-3/2	3.00 kW	4109141
CronoNorm-NL 50/250-11/2	11.00 kW	4109101
CronoNorm-NL 40/160-3/2	3.00 kW	4108965
CronoNorm-NL 40/315-37/2	37.00 kW	4109031
CronoNorm-NL 32/160-2.2/2	2.20 kW	4108895
CronoNorm-NL 50/315-15/2	15.00 kW	4109119
CronoNorm-NL 80/200-37/2	37.00 kW	4109261
CronoNorm-NL 65/250-22/2	22.00 kW	4109201
CronoNorm-NL 65/125-5.5/2	5.50 kW	4109145
CronoNorm-NL 65/160-15/2	15.00 kW	4109165
CronoNorm-NL 32/125-1.5/2	1.50 kW	4108883
CronoNorm-NL 50/125-4/2	4.00 kW	4109045
CronoNorm-NL 100/160-37/2	37.00 kW	4109317
CronoNorm-NL 50/250-18.5/2	18.50 kW	4109105
CronoNorm-NL 65/250-37/2	37.00 kW	4109205
CronoNorm-NL 100/160-22/2	22.00 kW	4109313
CronoNorm-NL 125/200-90/2	90.00 kW	4109393
CronoNorm-NL 32/200-5.5/2	5.50 kW	4108917
CronoNorm-NL 40/160-2.2/2	2.20 kW	4108962
CronoNorm-NL 65/200-11/2	11.00 kW	4109181
CronoNorm-NL 32/250-15/2	15.00 kW	4108939
CronoNorm-NL 50/160-11/2	11.00 kW	4109069
CronoNorm-NL 32/200B-3/2	3.00 kW	4110572
CronoNorm-NL 40/125-1.5/2	1.50 kW	4108947
CronoNorm-NL 80/200-18.5/2	18.50 kW	4109255
CronoNorm-NL 50/200-18.5/2	18.50 kW	4109089
CronoNorm-NL 32/250-11/2	11.00 kW	4108937
CronoNorm-NL 32/200-3/2	3.00 kW	4108913
CronoNorm-NL 40/315-30/2	30.00 kW	4109029
CronoNorm-NL 50/125-3/2	3.00 kW	4109043
CronoNorm-NL 65/160-11/2	11.00 kW	4109163
CronoNorm-NL 50/200-11/2	11.00 kW	4109085
CronoNorm-NL 40/200-9/2	9.00 kW	4108989
CronoNorm-NL 65/160-9/2	9.00 kW	4109161
CronoNorm-NL 65/250-30/2	30.00 kW	4109203
CronoNorm-NL 40/200-15/2	15.00 kW	4108993
CronoNorm-NL 50/315-30/2	30.00 kW	4109125
CronoNorm-NL 80/200-15/2	15.00 kW	4109253
CronoNorm-NL 100/250-75/2	75.00 kW	4109357
CronoNorm-NL 40/125-3/2	3.00 kW	4108951
CronoNorm-NL 32/160B-5.5/2	5.50 kW	4110560
CronoNorm-NL 50/315-75/2	75.00 kW	4109133
CronoNorm-NL 50/125-2.2/2	2.20 kW	4109041
CronoNorm-NL 32/200B-2.2/2	2.20 kW	4110570
CronoNorm-NL 50/315-18.5/2	18.50 kW	4109121
CronoNorm-NL 50/250-30/2	30.00 kW	4109109
CronoNorm-NL 65/160-18.5/2	18.50 kW	4109167

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 32/200-4/2	4.00 kW	4108915
CronoNorm-NL 50/200-7.5/2	7.50 kW	4109081
CronoNorm-NL 32/200-2.2/2	2.20 kW	4108911
CronoNorm-NL 80/160-15/2	15.00 kW	4109235
CronoNorm-NL 100/200-18.5/2	18.50 kW	4109329
CronoNorm-NL 50/160-5.5/2	5.50 kW	4109063
CronoNorm-NL 80/160-11/2	11.00 kW	4109233
CronoNorm-NL 65/200-15/2	15.00 kW	4109183
CronoNorm-NL 32/160B-2.2/2	2.20 kW	4110554
CronoNorm-NL 50/200-9/2	9.00 kW	4109083
CronoNorm-NL 80/250-55/2	55.00 kW	4109281
CronoNorm-NL 32/200-11/2	11.00 kW	4108923
CronoNorm-NL 80/200-45/2	45.00 kW	4109263
CronoNorm-NL 80/160-22/2	22.00 kW	4109239
CronoNorm-NL 100/200-30/2	30.00 kW	4109333
CronoNorm-NL 32/200B-11/2	11.00 kW	4110582
CronoNorm-NL 32/200B-7.5/2	7.50 kW	4114448
CronoNorm-NL 50/160-4/2	4.00 kW	4113937
CronoNorm-NL 32/160-1.5/2	1.50 kW	4113853
CronoNorm-NL 80/200-15/2	15.00 kW	4114033
CronoNorm-NL 65/160-5.5/2	5.50 kW	4113985
CronoNorm-NL 40/160-5.5/2	5.50 kW	4113891
CronoNorm-NL 65/125-9/2	9.00 kW	4113981
CronoNorm-NL 50/250-30/2	30.00 kW	4113961
CronoNorm-NL 32/125-1.5/2	1.50 kW	4113848
CronoNorm-NL 32/125-0.75/2	0.75 kW	4113846
CronoNorm-NL 40/250-7.5/2	7.50 kW	4113909
CronoNorm-NL 80/160-7.5/2	7.50 kW	4114021
CronoNorm-NL 100/200-37/2	37.00 kW	4114074
CronoNorm-NL 65/200-9/2	9.00 kW	4113996
CronoNorm-NL 100/200-22/2	22.00 kW	4114072
CronoNorm-NL 65/160-7.5/2	7.50 kW	4113986
CronoNorm-NL 40/315-15/2	15.00 kW	4113918
CronoNorm-NL 125/200-75/2	75.00 kW	4114102
CronoNorm-NL 40/315-18.5/2	18.50 kW	4113919
CronoNorm-NL 32/200-11/2	11.00 kW	4113868
CronoNorm-NL 32/200B-11/2	11.00 kW	4114450
CronoNorm-NL 40/160-2.2/2	2.20 kW	4113888
CronoNorm-NL 32/200-7.5/2	7.50 kW	4113866
CronoNorm-NL 32/200B-4/2	4.00 kW	4114446
CronoNorm-NL 40/125-1.5/2	1.50 kW	4113880
CronoNorm-NL 50/315-30/2	30.00 kW	4113969
CronoNorm-NL 32/250-9/2	9.00 kW	4113874
CronoNorm-NL 40/200-15/2	15.00 kW	4113903
CronoNorm-NL 32/125-2.2/2	2.20 kW	4113849
CronoNorm-NL 65/160-15/2	15.00 kW	4113989
CronoNorm-NL 100/160-37/2	37.00 kW	4114065



## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 65/250-30/2	30.00 kW	4114008
CronoNorm-NL 50/160-3/2	3.00 kW	4113936
CronoNorm-NL 65/125-7.5/2	7.50 kW	4113980
CronoNorm-NL 100/250-90/2	90.00 kW	4114086
CronoNorm-NL 100/160-18.5/2	18.50 kW	4114062
CronoNorm-NL 50/315-15/2	15.00 kW	4113966
CronoNorm-NL 50/125-4/2	4.00 kW	4113929
CronoNorm-NL 80/160-9/2	9.00 kW	4114022
CronoNorm-NL 32/125-0.55/2	0.55 kW	4113845
CronoNorm-NL 80/160-30/2	30.00 kW	4114027
CronoNorm-NL 32/160-5.5/2	5.50 kW	4113857
CronoNorm-NL 80/200-45/2	45.00 kW	4114038
CronoNorm-NL 32/160B-5.5/2	5.50 kW	4114439
CronoNorm-NL 50/315-22/2	22.00 kW	4113968
CronoNorm-NL 50/125-3/2	3.00 kW	4113928
CronoNorm-NL 100/250-30/2	30.00 kW	4114081
CronoNorm-NL 65/160-9/2	9.00 kW	4113987
CronoNorm-NL 50/200-22/2	22.00 kW	4113952
CronoNorm-NL 125/200-55/2	55.00 kW	4114101
CronoNorm-NL 100/250-45/2	45.00 kW	4114083
CronoNorm-NL 50/315-37/2	37.00 kW	4113970
CronoNorm-NL 50/160-15/2	15.00 kW	4113942
CronoNorm-NL 125/200-110/2	110.00 kW	4114104
CronoNorm-NL 32/160-2.2/2	2.20 kW	4113854
CronoNorm-NL 40/200-5.5/2	5.50 kW	4113899
CronoNorm-NL 32/160-3/2	3.00 kW	4113855
CronoNorm-NL 32/200B-3/2	3.00 kW	4114445
CronoNorm-NL 40/200-7.5/2	7.50 kW	4113900
CronoNorm-NL 100/200-30/2	30.00 kW	4114073
CronoNorm-NL 40/160-3/2	3.00 kW	4113889
CronoNorm-NL 50/160-11/2	11.00 kW	4113941
CronoNorm-NL 125/200-90/2	90.00 kW	4114103
CronoNorm-NL 32/250-7.5/2	7.50 kW	4113873
CronoNorm-NL 40/250-15/2	15.00 kW	4113912
CronoNorm-NL 32/160B-2.2/2	2.20 kW	4114436
CronoNorm-NL 100/160-22/2	22.00 kW	4114063
CronoNorm-NL 65/250-18.5/2	18.50 kW	4114006
CronoNorm-NL 65/250-37/2	37.00 kW	4114009
CronoNorm-NL 50/160-9/2	9.00 kW	4113940
CronoNorm-NL 100/250-75/2	75.00 kW	4114085
CronoNorm-NL 40/250-18.5/2	18.50 kW	4113913
CronoNorm-NL 50/315-75/2	75.00 kW	4113973
CronoNorm-NL 32/200-9/2	9.00 kW	4113867
CronoNorm-NL 32/200B-9/2	9.00 kW	4114449
CronoNorm-NL 40/315-37/2	37.00 kW	4113922
CronoNorm-NL 32/200-2.2/2	2.20 kW	4113862
CronoNorm-NL 80/200-22/2	22.00 kW	4114035

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 80/250-22/2	22.00 kW	4114043
CronoNorm-NL 50/250-18.5/2	18.50 kW	4113959
CronoNorm-NL 50/315-45/2	45.00 kW	4113971
CronoNorm-NL 65/250-22/2	22.00 kW	4114007
CronoNorm-NL 32/250-11/2	11.00 kW	4113875
CronoNorm-NL 40/250-9/2	9.00 kW	4113910
CronoNorm-NL 50/200-18.5/2	18.50 kW	4113951
CronoNorm-NL 32/250-15/2	15.00 kW	4113876
CronoNorm-NL 32/125-1.1/2	1.10 kW	4113847
CronoNorm-NL 65/250-45/2	45.00 kW	4114010
CronoNorm-NL 80/200-30/2	30.00 kW	4114036
CronoNorm-NL 65/200-22/2	22.00 kW	4114000
CronoNorm-NL 80/160-11/2	11.00 kW	4114023
CronoNorm-NL 40/160-4/2	4.00 kW	4113890
CronoNorm-NL 40/125-3/2	3.00 kW	4113882
CronoNorm-NL 32/200-4/2	4.00 kW	4113864
CronoNorm-NL 65/125-5.5/2	5.50 kW	4113979
CronoNorm-NL 80/160-22/2	22.00 kW	4114026
CronoNorm-NL 50/160-5.5/2	5.50 kW	4113938
CronoNorm-NL 40/200-18.5/2	18.50 kW	4113904
CronoNorm-NL 100/200-45/2	45.00 kW	4114075
CronoNorm-NL 40/125-1.1/2	1.10 kW	4113879
CronoNorm-NL 80/250-55/2	55.00 kW	4114047
CronoNorm-NL 50/315-55/2	55.00 kW	4113972
CronoNorm-NL 100/250-55/2	55.00 kW	4114084
CronoNorm-NL 50/125-2.2/2	2.20 kW	4113927
CronoNorm-NL 40/315-22/2	22.00 kW	4113920
CronoNorm-NL 80/200-37/2	37.00 kW	4114037
CronoNorm-NL 50/250-11/2	11.00 kW	4113957
CronoNorm-NL 65/200-18.5/2	18.50 kW	4113999
CronoNorm-NL 32/160B-1.5/2	1.50 kW	4114435
CronoNorm-NL 50/160-7.5/2	7.50 kW	4113939
CronoNorm-NL 65/125-3/2	3.00 kW	4113977
CronoNorm-NL 50/200-7.5/2	7.50 kW	4113947
CronoNorm-NL 80/250-45/2	45.00 kW	4114046
CronoNorm-NL 40/160-7.5/2	7.50 kW	4113892
CronoNorm-NL 80/160-15/2	15.00 kW	4114024
CronoNorm-NL 80/250-37/2	37.00 kW	4114045
CronoNorm-NL 32/200B-5.5/2	5.50 kW	4114447
CronoNorm-NL 32/200B-2.2/2	2.20 kW	4114444
CronoNorm-NL 50/250-15/2	15.00 kW	4113958
CronoNorm-NL 100/250-37/2	37.00 kW	4114082
CronoNorm-NL 100/200-18.5/2	18.50 kW	4114071
CronoNorm-NL 50/125-1.5/2	1.50 kW	4113926
CronoNorm-NL 32/160B-4/2	4.00 kW	4114438
CronoNorm-NL 80/250-30/2	30.00 kW	4114044
CronoNorm-NL 65/200-15/2	15.00 kW	4113998

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 80/200-18.5/2	18.50 kW	4114034
CronoNorm-NL 50/250-22/2	22.00 kW	4113960
CronoNorm-NL 40/200-11/2	11.00 kW	4113902
CronoNorm-NL 50/125-5.5/2	5.50 kW	4113930
CronoNorm-NL 50/200-9/2	9.00 kW	4113948
CronoNorm-NL 32/200-5.5/2	5.50 kW	4113865
CronoNorm-NL 65/160-11/2	11.00 kW	4113988
CronoNorm-NL 32/160B-3/2	3.00 kW	4114437
CronoNorm-NL 80/160-18.5/2	18.50 kW	4114025
CronoNorm-NL 40/160-9/2	9.00 kW	4113893
CronoNorm-NL 40/315-30/2	30.00 kW	4113921
CronoNorm-NL 40/250-11/2	11.00 kW	4113911
CronoNorm-NL 65/160-18.5/2	18.50 kW	4113990
CronoNorm-NL 65/125-4/2	4.00 kW	4113978
CronoNorm-NL 32/200-3/2	3.00 kW	4113863
CronoNorm-NL 65/200-30/2	30.00 kW	4114001
CronoNorm-NL 40/200-9/2	9.00 kW	4113901
CronoNorm-NL 50/200-15/2	15.00 kW	4113950
CronoNorm-NL 50/315-18.5/2	18.50 kW	4113967
CronoNorm-NL 100/160-30/2	30.00 kW	4114064
CronoNorm-NL 32/160-4/2	4.00 kW	4113856
CronoNorm-NL 50/200-11/2	11.00 kW	4113949
CronoNorm-NL 65/200-11/2	11.00 kW	4113997
CronoNorm-NL 40/125-2.2/2	2.20 kW	4113881
CronoNorm-NL 80/250-45/2	45.00 kW	4115298
CronoNorm-NL 80/250-37/2	37.00 kW	4115297
CronoNorm-NL 65/125-4/2	4.00 kW	4115230
CronoNorm-NL 100/250-45/2	45.00 kW	4115335
CronoNorm-NL 32/250-7.5/2	7.50 kW	4115125
CronoNorm-NL 32/200-4/2	4.00 kW	4115116
CronoNorm-NL 32/125-1.5/2	1.50 kW	4115100
CronoNorm-NL 65/200-15/2	15.00 kW	4115250
CronoNorm-NL 65/200-22/2	22.00 kW	4115252
CronoNorm-NL 50/160-3/2	3.00 kW	4115188
CronoNorm-NL 50/160-11/2	11.00 kW	4115193
CronoNorm-NL 80/160-30/2	30.00 kW	4115279
CronoNorm-NL 65/160-5.5/2	5.50 kW	4115237
CronoNorm-NL 50/200-22/2	22.00 kW	4115204
CronoNorm-NL 40/200-15/2	15.00 kW	4115155
CronoNorm-NL 50/125-5.5/2	5.50 kW	4115182
CronoNorm-NL 100/160-37/2	37.00 kW	4115317
CronoNorm-NL 80/200-18.5/2	18.50 kW	4115286
CronoNorm-NL 32/160B-1.5/2	1.50 kW	4115687
CronoNorm-NL 125/200-55/2	55.00 kW	4115353
CronoNorm-NL 32/160-1.5/2	1.50 kW	4115105
CronoNorm-NL 32/200-11/2	11.00 kW	4115120
CronoNorm-NL 40/250-9/2	9.00 kW	4115162

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 65/250-45/2	45.00 kW	4115262
CronoNorm-NL 65/125-9/2	9.00 kW	4115233
CronoNorm-NL 50/200-15/2	15.00 kW	4115202
CronoNorm-NL 100/200-45/2	45.00 kW	4115327
CronoNorm-NL 40/160-7.5/2	7.50 kW	4115144
CronoNorm-NL 65/200-11/2	11.00 kW	4115249
CronoNorm-NL 50/250-15/2	15.00 kW	4115210
CronoNorm-NL 50/250-18.5/2	18.50 kW	4115211
CronoNorm-NL 50/315-37/2	37.00 kW	4115222
CronoNorm-NL 50/200-7.5/2	7.50 kW	4115199
CronoNorm-NL 80/160-22/2	22.00 kW	4115278
CronoNorm-NL 100/250-30/2	30.00 kW	4115333
CronoNorm-NL 40/125-1.5/2	1.50 kW	4115132
CronoNorm-NL 65/250-22/2	22.00 kW	4115259
CronoNorm-NL 50/160-5.5/2	5.50 kW	4115190
CronoNorm-NL 32/200-2.2/2	2.20 kW	4115114
CronoNorm-NL 40/250-11/2	11.00 kW	4115163
CronoNorm-NL 40/315-30/2	30.00 kW	4115173
CronoNorm-NL 65/200-18.5/2	18.50 kW	4115251
CronoNorm-NL 80/160-11/2	11.00 kW	4115275
CronoNorm-NL 80/160-18.5/2	18.50 kW	4115277
CronoNorm-NL 40/250-7.5/2	7.50 kW	4115161
CronoNorm-NL 32/160-5.5/2	5.50 kW	4115109
CronoNorm-NL 65/160-15/2	15.00 kW	4115241
CronoNorm-NL 65/125-3/2	3.00 kW	4115229
CronoNorm-NL 100/200-22/2	22.00 kW	4115324
CronoNorm-NL 50/250-30/2	30.00 kW	4115213
CronoNorm-NL 40/125-1.1/2	1.10 kW	4115131
CronoNorm-NL 65/250-37/2	37.00 kW	4115261
CronoNorm-NL 40/200-11/2	11.00 kW	4115154
CronoNorm-NL 32/200-9/2	9.00 kW	4115119
CronoNorm-NL 40/125-3/2	3.00 kW	4115134
CronoNorm-NL 32/250-15/2	15.00 kW	4115128
CronoNorm-NL 32/200-5.5/2	5.50 kW	4115117
CronoNorm-NL 100/160-30/2	30.00 kW	4115316
CronoNorm-NL 65/160-18.5/2	18.50 kW	4115242
CronoNorm-NL 50/315-18.5/2	18.50 kW	4115219
CronoNorm-NL 40/125-2.2/2	2.20 kW	4115133
CronoNorm-NL 65/125-7.5/2	7.50 kW	4115232
CronoNorm-NL 100/250-55/2	55.00 kW	4115336
CronoNorm-NL 32/200B-2.2/2	2.20 kW	4115696
CronoNorm-NL 80/200-45/2	45.00 kW	4115290
CronoNorm-NL 50/125-1.5/2	1.50 kW	4115178
CronoNorm-NL 50/315-55/2	55.00 kW	4115224
CronoNorm-NL 32/200-3/2	3.00 kW	4115115
CronoNorm-NL 80/200-30/2	30.00 kW	4115288
CronoNorm-NL 50/250-11/2	11.00 kW	4115209

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 32/200B-11/2	11.00 kW	4115702
CronoNorm-NL 65/250-30/2	30.00 kW	4115260
CronoNorm-NL 100/200-37/2	37.00 kW	4115326
CronoNorm-NL 32/200B-4/2	4.00 kW	4115698
CronoNorm-NL 32/250-11/2	11.00 kW	4115127
CronoNorm-NL 50/160-9/2	9.00 kW	4115192
CronoNorm-NL 50/160-15/2	15.00 kW	4115194
CronoNorm-NL 40/160-3/2	3.00 kW	4115141
CronoNorm-NL 32/160B-3/2	3.00 kW	4115689
CronoNorm-NL 50/200-11/2	11.00 kW	4115201
CronoNorm-NL 32/200B-3/2	3.00 kW	4115697
CronoNorm-NL 40/200-18.5/2	18.50 kW	4115156
CronoNorm-NL 65/160-9/2	9.00 kW	4115239
CronoNorm-NL 65/160-11/2	11.00 kW	4115240
CronoNorm-NL 32/160-2.2/2	2.20 kW	4115106
CronoNorm-NL 50/200-9/2	9.00 kW	4115200
CronoNorm-NL 65/200-30/2	30.00 kW	4115253
CronoNorm-NL 100/160-22/2	22.00 kW	4115315
CronoNorm-NL 32/125-1.1/2	1.10 kW	4115099
CronoNorm-NL 32/125-0.55/2	0.55 kW	4115097
CronoNorm-NL 100/250-75/2	75.00 kW	4115337
CronoNorm-NL 50/125-3/2	3.00 kW	4115180
CronoNorm-NL 80/160-15/2	15.00 kW	4115276
CronoNorm-NL 65/160-7.5/2	7.50 kW	4115238
CronoNorm-NL 32/200B-9/2	9.00 kW	4115701
CronoNorm-NL 50/315-45/2	45.00 kW	4115223
CronoNorm-NL 40/315-22/2	22.00 kW	4115172
CronoNorm-NL 40/315-37/2	37.00 kW	4115174
CronoNorm-NL 40/250-15/2	15.00 kW	4115164
CronoNorm-NL 32/200B-7.5/2	7.50 kW	4115700
CronoNorm-NL 50/315-22/2	22.00 kW	4115220
CronoNorm-NL 50/315-15/2	15.00 kW	4115218
CronoNorm-NL 40/160-9/2	9.00 kW	4115145
CronoNorm-NL 65/200-9/2	9.00 kW	4115248
CronoNorm-NL 100/250-90/2	90.00 kW	4115338
CronoNorm-NL 50/250-22/2	22.00 kW	4115212
CronoNorm-NL 80/250-30/2	30.00 kW	4115296
CronoNorm-NL 40/315-15/2	15.00 kW	4115170
CronoNorm-NL 40/160-4/2	4.00 kW	4115142
CronoNorm-NL 65/250-18.5/2	18.50 kW	4115258
CronoNorm-NL 32/200B-5.5/2	5.50 kW	4115699
CronoNorm-NL 40/250-18.5/2	18.50 kW	4115165
CronoNorm-NL 125/200-90/2	90.00 kW	4115355
CronoNorm-NL 40/200-9/2	9.00 kW	4115153
CronoNorm-NL 32/160B-4/2	4.00 kW	4115690
CronoNorm-NL 40/200-5.5/2	5.50 kW	4115151
CronoNorm-NL 80/250-22/2	22.00 kW	4115295

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 40/315-18.5/2	18.50 kW	4115171
CronoNorm-NL 125/200-110/2	110.00 kW	4115356
CronoNorm-NL 50/315-30/2	30.00 kW	4115221
CronoNorm-NL 32/160-4/2	4.00 kW	4115108
CronoNorm-NL 32/125-0.75/2	0.75 kW	4115098
CronoNorm-NL 100/200-18.5/2	18.50 kW	4115323
CronoNorm-NL 80/200-37/2	37.00 kW	4115289
CronoNorm-NL 50/200-18.5/2	18.50 kW	4115203
CronoNorm-NL 40/160-2.2/2	2.20 kW	4115140
CronoNorm-NL 65/125-5.5/2	5.50 kW	4115231
CronoNorm-NL 80/160-9/2	9.00 kW	4115274
CronoNorm-NL 125/200-75/2	75.00 kW	4115354
CronoNorm-NL 80/250-55/2	55.00 kW	4115299
CronoNorm-NL 50/160-7.5/2	7.50 kW	4115191
CronoNorm-NL 40/200-7.5/2	7.50 kW	4115152
CronoNorm-NL 40/160-5.5/2	5.50 kW	4115143
CronoNorm-NL 50/315-75/2	75.00 kW	4115225
CronoNorm-NL 50/125-4/2	4.00 kW	4115181
CronoNorm-NL 100/250-37/2	37.00 kW	4115334
CronoNorm-NL 32/250-9/2	9.00 kW	4115126
CronoNorm-NL 50/125-2.2/2	2.20 kW	4115179
CronoNorm-NL 80/200-15/2	15.00 kW	4115285
CronoNorm-NL 32/160B-2.2/2	2.20 kW	4115688
CronoNorm-NL 32/160B-5.5/2	5.50 kW	4115691
CronoNorm-NL 80/160-7.5/2	7.50 kW	4115273
CronoNorm-NL 32/125-2.2/2	2.20 kW	4115101
CronoNorm-NL 50/160-4/2	4.00 kW	4115189
CronoNorm-NL 80/200-22/2	22.00 kW	4115287
CronoNorm-NL 100/200-30/2	30.00 kW	4115325
CronoNorm-NL 32/160-3/2	3.00 kW	4115107
CronoNorm-NL 100/160-18.5/2	18.50 kW	4115314
CronoNorm-NL 32/200-7.5/2	7.50 kW	4115118
CronoNorm-NL 32/250-0.75/4	0.75 kW	4108924
CronoNorm-NL 40/315-3/4	3.00 kW	4109016
CronoNorm-NL 100/400-15/4	15.00 kW	4109368
CronoNorm-NL 32/250-1.1/4	1.10 kW	4108926
CronoNorm-NL 100/250-7.5/4	7.50 kW	4109342
CronoNorm-NL 80/160-1.5/4	1.50 kW	4109220
CronoNorm-NL 32/125-0.37/4	0.37 kW	4108874
CronoNorm-NL 32/200-0.55/4	0.55 kW	4108902
CronoNorm-NL 32/200-1.1/4	1.10 kW	4108906
CronoNorm-NL 32/200-1.5/4	1.50 kW	4108908
CronoNorm-NL 32/250-1.5/4	1.50 kW	4108928
CronoNorm-NL 32/250-2.2/4	2.20 kW	4108930
CronoNorm-NL 40/125-0.37/4	0.37 kW	4108940
CronoNorm-NL 40/125-0.55/4	0.55 kW	4108942
CronoNorm-NL 40/160-1.1/4	1.10 kW	4108958

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 40/160-1.5/4	1.50 kW	4108960
CronoNorm-NL 40/200-0.55/4	0.55 kW	4108974
CronoNorm-NL 40/200-2.2/4	2.20 kW	4108982
CronoNorm-NL 40/250-1.1/4	1.10 kW	4108996
CronoNorm-NL 40/250-1.5/4	1.50 kW	4108998
CronoNorm-NL 40/250-2.2/4	2.20 kW	4109000
CronoNorm-NL 40/250-3/4	3.00 kW	4109002
CronoNorm-NL 40/315-2.2/4	2.20 kW	4109014
CronoNorm-NL 40/315-5.5/4	5.50 kW	4109020
CronoNorm-NL 50/125-0.37/4	0.37 kW	4109032
CronoNorm-NL 50/125-0.55/4	0.55 kW	4109034
CronoNorm-NL 50/125-0.75/4	0.75 kW	4109036
CronoNorm-NL 50/160-0.55/4	0.55 kW	4109048
CronoNorm-NL 50/160-0.75/4	0.75 kW	4109050
CronoNorm-NL 50/160-1.1/4	1.10 kW	4109052
CronoNorm-NL 50/160-1.5/4	1.50 kW	4109054
CronoNorm-NL 50/160-2.2/4	2.20 kW	4109056
CronoNorm-NL 50/200-1.5/4	1.50 kW	4109074
CronoNorm-NL 50/200-2.2/4	2.20 kW	4109076
CronoNorm-NL 50/200-3/4	3.00 kW	4109078
CronoNorm-NL 50/250-1.5/4	1.50 kW	4109092
CronoNorm-NL 50/250-2.2/4	2.20 kW	4109094
CronoNorm-NL 50/250-3/4	3.00 kW	4109096
CronoNorm-NL 50/250-4/4	4.00 kW	4109098
CronoNorm-NL 50/315-4/4	4.00 kW	4109110
CronoNorm-NL 50/315-5.5/4	5.50 kW	4109112
CronoNorm-NL 50/315-7.5/4	7.50 kW	4109114
CronoNorm-NL 65/125-0.55/4	0.55 kW	4109134
CronoNorm-NL 65/125-1.1/4	1.10 kW	4109138
CronoNorm-NL 65/160-0.75/4	0.75 kW	4109150
CronoNorm-NL 65/160-1.5/4	1.50 kW	4109152
CronoNorm-NL 65/200-1.5/4	1.50 kW	4109170
CronoNorm-NL 65/200-2.2/4	2.20 kW	4109172
CronoNorm-NL 65/200-3/4	3.00 kW	4109174
CronoNorm-NL 65/250-2.2/4	2.20 kW	4109190
CronoNorm-NL 65/250-3/4	3.00 kW	4109192
CronoNorm-NL 65/250-4/4	4.00 kW	4109194
CronoNorm-NL 65/315-5.5/4	5.50 kW	4109208
CronoNorm-NL 65/315-7.5/4	7.50 kW	4109210
CronoNorm-NL 65/315-9/4	9.00 kW	4109212
CronoNorm-NL 65/315-11/4	11.00 kW	4109214
CronoNorm-NL 80/160-1.1/4	1.10 kW	4109218
CronoNorm-NL 80/160-2.2/4	2.20 kW	4109222
CronoNorm-NL 80/160-3/4	3.00 kW	4109224
CronoNorm-NL 80/160-4/4	4.00 kW	4109226
CronoNorm-NL 80/200-2.2/4	2.20 kW	4109244
CronoNorm-NL 80/200-4/4	4.00 kW	4109248

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 80/250-3/4	3.00 kW	4109264
CronoNorm-NL 80/250-4/4	4.00 kW	4109266
CronoNorm-NL 80/250-7.5/4	7.50 kW	4109270
CronoNorm-NL 80/315-5.5/4	5.50 kW	4109282
CronoNorm-NL 80/315-9/4	9.00 kW	4109286
CronoNorm-NL 80/315-11/4	11.00 kW	4109288
CronoNorm-NL 80/315-15/4	15.00 kW	4109290
CronoNorm-NL 80/400-11/4	11.00 kW	4109292
CronoNorm-NL 80/400-15/4	15.00 kW	4109294
CronoNorm-NL 80/400-18.5/4	18.50 kW	4109296
CronoNorm-NL 80/400-22/4	22.00 kW	4109298
CronoNorm-NL 80/400-30/4	30.00 kW	4109300
CronoNorm-NL 100/160-2.2/4	2.20 kW	4109302
CronoNorm-NL 100/160-3/4	3.00 kW	4109304
CronoNorm-NL 100/160-5.5/4	5.50 kW	4109308
CronoNorm-NL 100/200-2.2/4	2.20 kW	4109318
CronoNorm-NL 100/200-3/4	3.00 kW	4109320
CronoNorm-NL 100/200-4/4	4.00 kW	4109322
CronoNorm-NL 100/200-5.5/4	5.50 kW	4109324
CronoNorm-NL 100/250-4/4	4.00 kW	4109338
CronoNorm-NL 100/250-5.5/4	5.50 kW	4109340
CronoNorm-NL 100/250-9/4	9.00 kW	4109344
CronoNorm-NL 100/250-11/4	11.00 kW	4109346
CronoNorm-NL 100/315-15/4	15.00 kW	4109362
CronoNorm-NL 100/315-18.5/4	18.50 kW	4109364
CronoNorm-NL 100/400-18.5/4	18.50 kW	4109370
CronoNorm-NL 100/400-22/4	22.00 kW	4109372
CronoNorm-NL 100/400-30/4	30.00 kW	4109374
CronoNorm-NL 100/400-37/4	37.00 kW	4109376
CronoNorm-NL 100/400-45/4	45.00 kW	4109378
CronoNorm-NL 125/200-7.5/4	7.50 kW	4109380
CronoNorm-NL 125/200-9/4	9.00 kW	4109382
CronoNorm-NL 125/200-11/4	11.00 kW	4109384
CronoNorm-NL 125/250-9/4	9.00 kW	4109398
CronoNorm-NL 125/250-11/4	11.00 kW	4109400
CronoNorm-NL 125/250-15/4	15.00 kW	4109402
CronoNorm-NL 125/250-18.5/4	18.50 kW	4109404
CronoNorm-NL 125/315-15/4	15.00 kW	4109406
CronoNorm-NL 125/315-18.5/4	18.50 kW	4109408
CronoNorm-NL 125/315-22/4	22.00 kW	4109410
CronoNorm-NL 125/315-30/4	30.00 kW	4109412
CronoNorm-NL 125/400-30/4	30.00 kW	4109416
CronoNorm-NL 125/400-37/4	37.00 kW	4109418
CronoNorm-NL 125/400-45/4	45.00 kW	4109420
CronoNorm-NL 125/400-55/4	55.00 kW	4109422
CronoNorm-NL 125/400-75/4	75.00 kW	4109424
CronoNorm-NL 150/200-7.5/4	7.50 kW	4109426



## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 150/200-11/4	11.00 kW	4109430
CronoNorm-NL 150/200-15/4	15.00 kW	4109432
CronoNorm-NL 150/200-18.5/4	18.50 kW	4109434
CronoNorm-NL 150/250-15/4	15.00 kW	4109436
CronoNorm-NL 150/250-22/4	22.00 kW	4109440
CronoNorm-NL 150/315-30/4	30.00 kW	4109446
CronoNorm-NL 150/315-37/4	37.00 kW	4109448
CronoNorm-NL 150/315-55/4	55.00 kW	4109452
CronoNorm-NL 150/400-55/4	55.00 kW	4109456
CronoNorm-NL 150/400-75/4	75.00 kW	4109458
CronoNorm-NL 150/400-90/4	90.00 kW	4109460
CronoNorm-NL 32/160B-0.37/4	0.37 kW	4110545
CronoNorm-NL 32/200B-0.55/4	0.55 kW	4110561
CronoNorm-NL 32/200B-0.75/4	0.75 kW	4110563
CronoNorm-NL 32/200B-1.1/4	1.10 kW	4110565
CronoNorm-NL 32/200B-1.5/4	1.50 kW	4110567
CronoNorm-NL 80/315-7.5/4	7.50 kW	4109284
CronoNorm-NL 80/200-5.5/4	5.50 kW	4109250
CronoNorm-NL 32/160-0.37/4	0.37 kW	4108886
CronoNorm-NL 40/200-1.1/4	1.10 kW	4108978
CronoNorm-NL 65/200-4/4	4.00 kW	4109176
CronoNorm-NL 100/160-4/4	4.00 kW	4109306
CronoNorm-NL 150/400-45/4	45.00 kW	4109454
CronoNorm-NL 40/315-4/4	4.00 kW	4109018
CronoNorm-NL 150/200-9/4	9.00 kW	4109428
CronoNorm-NL 32/160B-0.75/4	0.75 kW	4110549
CronoNorm-NL 100/200-7.5/4	7.50 kW	4109326
CronoNorm-NL 32/160-0.55/4	0.55 kW	4108888
CronoNorm-NL 65/315-15/4	15.00 kW	4109216
CronoNorm-NL 125/250-7.5/4	7.50 kW	4109396
CronoNorm-NL 125/315-37/4	37.00 kW	4109414
CronoNorm-NL 100/315-22/4	22.00 kW	4109366
CronoNorm-NL 150/250-30/4	30.00 kW	4109442
CronoNorm-NL 80/200-3/4	3.00 kW	4109246
CronoNorm-NL 65/250-5.5/4	5.50 kW	4109196
CronoNorm-NL 40/200-1.5/4	1.50 kW	4108980
CronoNorm-NL 32/200-0.75/4	0.75 kW	4108904
CronoNorm-NL 40/160-0.55/4	0.55 kW	4108954
CronoNorm-NL 40/200-0.75/4	0.75 kW	4108976
CronoNorm-NL 65/200-1.1/4	1.10 kW	4109168
CronoNorm-NL 80/250-5.5/4	5.50 kW	4109268
CronoNorm-NL 40/160-0.75/4	0.75 kW	4108956
CronoNorm-NL 32/160-0.75/4	0.75 kW	4108890
CronoNorm-NL 80/200-1.5/4	1.50 kW	4109242
CronoNorm-NL 150/315-22/4	22.00 kW	4109444
CronoNorm-NL 50/315-9/4	9.00 kW	4109116
CronoNorm-NL 50/200-1.1/4	1.10 kW	4109072

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 40/160-0.37/4	0.37 kW	4108952
CronoNorm-NL 150/315-45/4	45.00 kW	4109450
CronoNorm-NL 100/315-11/4	11.00 kW	4109360
CronoNorm-NL 32/160B-0.55/4	0.55 kW	4110547
CronoNorm-NL 65/160-2.2/4	2.20 kW	4109154
CronoNorm-NL 65/125-0.75/4	0.75 kW	4109136
CronoNorm-NL 125/200-15/4	15.00 kW	4109386
CronoNorm-NL 150/250-18.5/4	18.50 kW	4109438
CronoNorm-NL 50/160-1.1/4	1.10 kW	4109053
CronoNorm-NL 80/160-4/4	4.00 kW	4109227
CronoNorm-NL 65/200-2.2/4	2.20 kW	4109173
CronoNorm-NL 80/400-22/4	22.00 kW	4109299
CronoNorm-NL 40/250-2.2/4	2.20 kW	4109001
CronoNorm-NL 40/200-0.75/4	0.75 kW	4108977
CronoNorm-NL 65/200-3/4	3.00 kW	4109175
CronoNorm-NL 80/400-30/4	30.00 kW	4109301
CronoNorm-NL 100/400-30/4	30.00 kW	4109375
CronoNorm-NL 32/200B-0.55/4	0.55 kW	4110562
CronoNorm-NL 32/160-0.37/4	0.37 kW	4108887
CronoNorm-NL 32/160-0.55/4	0.55 kW	4108889
CronoNorm-NL 32/160-0.75/4	0.75 kW	4108891
CronoNorm-NL 32/200-0.55/4	0.55 kW	4108903
CronoNorm-NL 32/200-0.75/4	0.75 kW	4108905
CronoNorm-NL 32/200-1.1/4	1.10 kW	4108907
CronoNorm-NL 32/200-1.5/4	1.50 kW	4108909
CronoNorm-NL 32/250-1.1/4	1.10 kW	4108927
CronoNorm-NL 32/250-1.5/4	1.50 kW	4108929
CronoNorm-NL 32/250-2.2/4	2.20 kW	4108931
CronoNorm-NL 40/125-0.37/4	0.37 kW	4108941
CronoNorm-NL 40/125-0.55/4	0.55 kW	4108943
CronoNorm-NL 40/160-0.37/4	0.37 kW	4108953
CronoNorm-NL 40/160-0.55/4	0.55 kW	4108955
CronoNorm-NL 40/160-1.1/4	1.10 kW	4108959
CronoNorm-NL 40/160-1.5/4	1.50 kW	4108961
CronoNorm-NL 40/200-0.55/4	0.55 kW	4108975
CronoNorm-NL 40/200-1.1/4	1.10 kW	4108979
CronoNorm-NL 40/200-1.5/4	1.50 kW	4108981
CronoNorm-NL 40/200-2.2/4	2.20 kW	4108983
CronoNorm-NL 40/250-1.1/4	1.10 kW	4108997
CronoNorm-NL 40/250-1.5/4	1.50 kW	4108999
CronoNorm-NL 40/250-3/4	3.00 kW	4109003
CronoNorm-NL 40/315-3/4	3.00 kW	4109017
CronoNorm-NL 40/315-5.5/4	5.50 kW	4109021
CronoNorm-NL 50/125-0.37/4	0.37 kW	4109033
CronoNorm-NL 50/125-0.55/4	0.55 kW	4109035
CronoNorm-NL 50/160-1.5/4	1.50 kW	4109055
CronoNorm-NL 50/160-2.2/4	2.20 kW	4109057

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 50/200-1.1/4	1.10 kW	4109073
CronoNorm-NL 50/200-1.5/4	1.50 kW	4109075
CronoNorm-NL 50/200-2.2/4	2.20 kW	4109077
CronoNorm-NL 50/250-1.5/4	1.50 kW	4109093
CronoNorm-NL 50/250-2.2/4	2.20 kW	4109095
CronoNorm-NL 50/250-3/4	3.00 kW	4109097
CronoNorm-NL 50/250-4/4	4.00 kW	4109099
CronoNorm-NL 50/315-4/4	4.00 kW	4109111
CronoNorm-NL 50/315-5.5/4	5.50 kW	4109113
CronoNorm-NL 50/315-7.5/4	7.50 kW	4109115
CronoNorm-NL 50/315-9/4	9.00 kW	4109117
CronoNorm-NL 65/125-0.55/4	0.55 kW	4109135
CronoNorm-NL 65/125-0.75/4	0.75 kW	4109137
CronoNorm-NL 65/125-1.1/4	1.10 kW	4109139
CronoNorm-NL 65/160-0.75/4	0.75 kW	4109151
CronoNorm-NL 65/160-1.5/4	1.50 kW	4109153
CronoNorm-NL 65/160-2.2/4	2.20 kW	4109155
CronoNorm-NL 65/200-1.1/4	1.10 kW	4109169
CronoNorm-NL 65/200-4/4	4.00 kW	4109177
CronoNorm-NL 65/250-2.2/4	2.20 kW	4109191
CronoNorm-NL 65/250-3/4	3.00 kW	4109193
CronoNorm-NL 65/250-4/4	4.00 kW	4109195
CronoNorm-NL 65/250-5.5/4	5.50 kW	4109197
CronoNorm-NL 65/315-7.5/4	7.50 kW	4109211
CronoNorm-NL 65/315-9/4	9.00 kW	4109213
CronoNorm-NL 65/315-11/4	11.00 kW	4109215
CronoNorm-NL 80/160-1.1/4	1.10 kW	4109219
CronoNorm-NL 80/160-1.5/4	1.50 kW	4109221
CronoNorm-NL 80/160-2.2/4	2.20 kW	4109223
CronoNorm-NL 80/200-1.5/4	1.50 kW	4109243
CronoNorm-NL 80/200-2.2/4	2.20 kW	4109245
CronoNorm-NL 80/200-3/4	3.00 kW	4109247
CronoNorm-NL 80/200-4/4	4.00 kW	4109249
CronoNorm-NL 80/200-5.5/4	5.50 kW	4109251
CronoNorm-NL 80/250-3/4	3.00 kW	4109265
CronoNorm-NL 80/250-5.5/4	5.50 kW	4109269
CronoNorm-NL 80/250-7.5/4	7.50 kW	4109271
CronoNorm-NL 80/315-5.5/4	5.50 kW	4109283
CronoNorm-NL 80/315-7.5/4	7.50 kW	4109285
CronoNorm-NL 80/315-9/4	9.00 kW	4109287
CronoNorm-NL 80/315-11/4	11.00 kW	4109289
CronoNorm-NL 80/400-11/4	11.00 kW	4109293
CronoNorm-NL 80/400-15/4	15.00 kW	4109295
CronoNorm-NL 80/400-18.5/4	18.50 kW	4109297
CronoNorm-NL 100/160-2.2/4	2.20 kW	4109303
CronoNorm-NL 100/160-4/4	4.00 kW	4109307
CronoNorm-NL 100/160-5.5/4	5.50 kW	4109309

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 100/200-2.2/4	2.20 kW	4109319
CronoNorm-NL 100/200-3/4	3.00 kW	4109321
CronoNorm-NL 100/200-4/4	4.00 kW	4109323
CronoNorm-NL 100/200-5.5/4	5.50 kW	4109325
CronoNorm-NL 100/250-4/4	4.00 kW	4109339
CronoNorm-NL 100/250-5.5/4	5.50 kW	4109341
CronoNorm-NL 100/250-7.5/4	7.50 kW	4109343
CronoNorm-NL 100/315-11/4	11.00 kW	4109361
CronoNorm-NL 100/315-18.5/4	18.50 kW	4109365
CronoNorm-NL 100/315-22/4	22.00 kW	4109367
CronoNorm-NL 100/400-15/4	15.00 kW	4109369
CronoNorm-NL 100/400-37/4	37.00 kW	4109377
CronoNorm-NL 125/200-7.5/4	7.50 kW	4109381
CronoNorm-NL 125/200-9/4	9.00 kW	4109383
CronoNorm-NL 125/200-11/4	11.00 kW	4109385
CronoNorm-NL 125/200-15/4	15.00 kW	4109387
CronoNorm-NL 125/250-9/4	9.00 kW	4109399
CronoNorm-NL 125/250-15/4	15.00 kW	4109403
CronoNorm-NL 125/250-18.5/4	18.50 kW	4109405
CronoNorm-NL 125/315-15/4	15.00 kW	4109407
CronoNorm-NL 125/315-18.5/4	18.50 kW	4109409
CronoNorm-NL 125/315-30/4	30.00 kW	4109413
CronoNorm-NL 125/315-37/4	37.00 kW	4109415
CronoNorm-NL 125/400-30/4	30.00 kW	4109417
CronoNorm-NL 125/400-37/4	37.00 kW	4109419
CronoNorm-NL 125/400-45/4	45.00 kW	4109421
CronoNorm-NL 125/400-55/4	55.00 kW	4109423
CronoNorm-NL 125/400-75/4	75.00 kW	4109425
CronoNorm-NL 150/200-7.5/4	7.50 kW	4109427
CronoNorm-NL 150/200-9/4	9.00 kW	4109429
CronoNorm-NL 150/200-18.5/4	18.50 kW	4109435
CronoNorm-NL 150/250-15/4	15.00 kW	4109437
CronoNorm-NL 150/250-18.5/4	18.50 kW	4109439
CronoNorm-NL 150/250-22/4	22.00 kW	4109441
CronoNorm-NL 150/250-30/4	30.00 kW	4109443
CronoNorm-NL 150/315-30/4	30.00 kW	4109447
CronoNorm-NL 150/315-37/4	37.00 kW	4109449
CronoNorm-NL 150/315-45/4	45.00 kW	4109451
CronoNorm-NL 150/315-55/4	55.00 kW	4109453
CronoNorm-NL 150/400-45/4	45.00 kW	4109455
CronoNorm-NL 150/400-55/4	55.00 kW	4109457
CronoNorm-NL 150/400-75/4	75.00 kW	4109459
CronoNorm-NL 32/160B-0.37/4	0.37 kW	4110546
CronoNorm-NL 32/160B-0.55/4	0.55 kW	4110548
CronoNorm-NL 32/160B-0.75/4	0.75 kW	4110550
CronoNorm-NL 100/160-3/4	3.00 kW	4109305
CronoNorm-NL 50/160-0.75/4	0.75 kW	4109051

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 32/125-0.37/4	0.37 kW	4108875
CronoNorm-NL 150/315-22/4	22.00 kW	4109445
CronoNorm-NL 100/250-11/4	11.00 kW	4109347
CronoNorm-NL 40/315-2.2/4	2.20 kW	4109015
CronoNorm-NL 125/315-22/4	22.00 kW	4109411
CronoNorm-NL 50/160-0.55/4	0.55 kW	4109049
CronoNorm-NL 32/200B-1.1/4	1.10 kW	4110566
CronoNorm-NL 65/315-5.5/4	5.50 kW	4109209
CronoNorm-NL 65/200-1.5/4	1.50 kW	4109171
CronoNorm-NL 125/250-11/4	11.00 kW	4109401
CronoNorm-NL 100/250-9/4	9.00 kW	4109345
CronoNorm-NL 125/250-7.5/4	7.50 kW	4109397
CronoNorm-NL 32/200B-1.5/4	1.50 kW	4110568
CronoNorm-NL 65/315-15/4	15.00 kW	4109217
CronoNorm-NL 40/315-4/4	4.00 kW	4109019
CronoNorm-NL 100/400-45/4	45.00 kW	4109379
CronoNorm-NL 150/400-90/4	90.00 kW	4109461
CronoNorm-NL 40/160-0.75/4	0.75 kW	4108957
CronoNorm-NL 80/315-15/4	15.00 kW	4109291
CronoNorm-NL 100/400-22/4	22.00 kW	4109373
CronoNorm-NL 80/250-4/4	4.00 kW	4109267
CronoNorm-NL 150/200-15/4	15.00 kW	4109433
CronoNorm-NL 100/400-18.5/4	18.50 kW	4109371
CronoNorm-NL 32/200B-0.75/4	0.75 kW	4110564
CronoNorm-NL 50/200-3/4	3.00 kW	4109079
CronoNorm-NL 32/250-0.75/4	0.75 kW	4108925
CronoNorm-NL 150/200-11/4	11.00 kW	4109431
CronoNorm-NL 100/200-7.5/4	7.50 kW	4109327
CronoNorm-NL 80/160-3/4	3.00 kW	4109225
CronoNorm-NL 100/315-15/4	15.00 kW	4109363
CronoNorm-NL 50/125-0.75/4	0.75 kW	4109037
CronoNorm-NL 65/250-4/4	4.00 kW	4114004
CronoNorm-NL 50/160-2.2/4	2.20 kW	4113935
CronoNorm-NL 150/400-55/4	55.00 kW	4114135
CronoNorm-NL 65/125-1.1/4	1.10 kW	4113976
CronoNorm-NL 50/200-1.5/4	1.50 kW	4113944
CronoNorm-NL 65/315-15/4	15.00 kW	4114015
CronoNorm-NL 32/200-1.5/4	1.50 kW	4113861
CronoNorm-NL 40/250-3/4	3.00 kW	4113908
CronoNorm-NL 32/200B-1.5/4	1.50 kW	4114443
CronoNorm-NL 65/200-1.5/4	1.50 kW	4113992
CronoNorm-NL 65/250-5.5/4	5.50 kW	4114005
CronoNorm-NL 32/200B-0.55/4	0.55 kW	4114440
CronoNorm-NL 50/160-1.5/4	1.50 kW	4113934
CronoNorm-NL 150/200-15/4	15.00 kW	4114123
CronoNorm-NL 80/160-4/4	4.00 kW	4114020
CronoNorm-NL 50/315-9/4	9.00 kW	4113965

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 32/160-0.75/4	0.75 kW	4113852
CronoNorm-NL 80/250-4/4	4.00 kW	4114040
CronoNorm-NL 150/200-11/4	11.00 kW	4114122
CronoNorm-NL 80/200-5.5/4	5.50 kW	4114032
CronoNorm-NL 40/200-1.5/4	1.50 kW	4113897
CronoNorm-NL 32/160-0.55/4	0.55 kW	4113851
CronoNorm-NL 150/250-30/4	30.00 kW	4114128
CronoNorm-NL 80/200-4/4	4.00 kW	4114031
CronoNorm-NL 150/315-30/4	30.00 kW	4114130
CronoNorm-NL 65/200-4/4	4.00 kW	4113995
CronoNorm-NL 80/400-30/4	30.00 kW	4114057
CronoNorm-NL 50/250-1.5/4	1.50 kW	4113953
CronoNorm-NL 32/200-1.1/4	1.10 kW	4113860
CronoNorm-NL 65/160-2.2/4	2.20 kW	4113984
CronoNorm-NL 80/160-2.2/4	2.20 kW	4114018
CronoNorm-NL 32/160-0.37/4	0.37 kW	4113850
CronoNorm-NL 80/160-3/4	3.00 kW	4114019
CronoNorm-NL 50/200-3/4	3.00 kW	4113946
CronoNorm-NL 32/160B-0.55/4	0.55 kW	4114433
CronoNorm-NL 65/200-2.2/4	2.20 kW	4113993
CronoNorm-NL 40/160-1.1/4	1.10 kW	4113886
CronoNorm-NL 65/160-0.75/4	0.75 kW	4113982
CronoNorm-NL 65/315-11/4	11.00 kW	4114014
CronoNorm-NL 40/315-3/4	3.00 kW	4113915
CronoNorm-NL 65/125-0.55/4	0.55 kW	4113974
CronoNorm-NL 125/200-15/4	15.00 kW	4114100
CronoNorm-NL 65/200-1.1/4	1.10 kW	4113991
CronoNorm-NL 50/160-1.1/4	1.10 kW	4113933
CronoNorm-NL 40/160-0.75/4	0.75 kW	4113885
CronoNorm-NL 40/250-1.1/4	1.10 kW	4113905
CronoNorm-NL 150/400-90/4	90.00 kW	4114137
CronoNorm-NL 40/160-0.55/4	0.55 kW	4113884
CronoNorm-NL 40/125-0.55/4	0.55 kW	4113878
CronoNorm-NL 65/315-5.5/4	5.50 kW	4114011
CronoNorm-NL 32/250-1.1/4	1.10 kW	4113870
CronoNorm-NL 50/200-1.1/4	1.10 kW	4113943
CronoNorm-NL 80/200-1.5/4	1.50 kW	4114028
CronoNorm-NL 32/200-0.55/4	0.55 kW	4113858
CronoNorm-NL 150/315-22/4	22.00 kW	4114129
CronoNorm-NL 150/315-37/4	37.00 kW	4114131
CronoNorm-NL 65/315-9/4	9.00 kW	4114013
CronoNorm-NL 150/315-55/4	55.00 kW	4114133
CronoNorm-NL 32/200B-0.75/4	0.75 kW	4114441
CronoNorm-NL 65/250-3/4	3.00 kW	4114003
CronoNorm-NL 150/400-75/4	75.00 kW	4114136
CronoNorm-NL 40/315-4/4	4.00 kW	4113916
CronoNorm-NL 65/125-0.75/4	0.75 kW	4113975

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 50/160-0.75/4	0.75 kW	4113932
CronoNorm-NL 50/250-2.2/4	2.20 kW	4113954
CronoNorm-NL 125/250-11/4	11.00 kW	4114107
CronoNorm-NL 150/200-18.5/4	18.50 kW	4114124
CronoNorm-NL 50/125-0.37/4	0.37 kW	4113923
CronoNorm-NL 150/400-45/4	45.00 kW	4114134
CronoNorm-NL 65/160-1.5/4	1.50 kW	4113983
CronoNorm-NL 150/200-7.5/4	7.50 kW	4114120
CronoNorm-NL 65/200-3/4	3.00 kW	4113994
CronoNorm-NL 150/200-9/4	9.00 kW	4114121
CronoNorm-NL 40/125-0.37/4	0.37 kW	4113877
CronoNorm-NL 40/250-1.5/4	1.50 kW	4113906
CronoNorm-NL 80/160-1.1/4	1.10 kW	4114016
CronoNorm-NL 80/250-5.5/4	5.50 kW	4114041
CronoNorm-NL 50/200-2.2/4	2.20 kW	4113945
CronoNorm-NL 150/250-18.5/4	18.50 kW	4114126
CronoNorm-NL 32/250-0.75/4	0.75 kW	4113869
CronoNorm-NL 40/200-0.75/4	0.75 kW	4113895
CronoNorm-NL 80/250-7.5/4	7.50 kW	4114042
CronoNorm-NL 50/125-0.55/4	0.55 kW	4113924
CronoNorm-NL 65/250-2.2/4	2.20 kW	4114002
CronoNorm-NL 40/200-1.1/4	1.10 kW	4113896
CronoNorm-NL 40/200-2.2/4	2.20 kW	4113898
CronoNorm-NL 32/250-1.5/4	1.50 kW	4113871
CronoNorm-NL 80/315-5.5/4	5.50 kW	4114048
CronoNorm-NL 80/315-7.5/4	7.50 kW	4114049
CronoNorm-NL 80/315-9/4	9.00 kW	4114050
CronoNorm-NL 80/315-11/4	11.00 kW	4114051
CronoNorm-NL 80/400-11/4	11.00 kW	4114053
CronoNorm-NL 80/400-15/4	15.00 kW	4114054
CronoNorm-NL 80/400-18.5/4	18.50 kW	4114055
CronoNorm-NL 80/400-22/4	22.00 kW	4114056
CronoNorm-NL 100/160-2.2/4	2.20 kW	4114058
CronoNorm-NL 100/160-3/4	3.00 kW	4114059
CronoNorm-NL 100/160-4/4	4.00 kW	4114060
CronoNorm-NL 100/160-5.5/4	5.50 kW	4114061
CronoNorm-NL 100/200-2.2/4	2.20 kW	4114066
CronoNorm-NL 100/200-3/4	3.00 kW	4114067
CronoNorm-NL 100/200-4/4	4.00 kW	4114068
CronoNorm-NL 100/200-5.5/4	5.50 kW	4114069
CronoNorm-NL 100/200-7.5/4	7.50 kW	4114070
CronoNorm-NL 100/250-7.5/4	7.50 kW	4114078
CronoNorm-NL 100/250-9/4	9.00 kW	4114079
CronoNorm-NL 100/250-11/4	11.00 kW	4114080
CronoNorm-NL 100/315-11/4	11.00 kW	4114087
CronoNorm-NL 100/315-18.5/4	18.50 kW	4114089
CronoNorm-NL 100/315-22/4	22.00 kW	4114090

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 100/400-15/4	15.00 kW	4114091
CronoNorm-NL 100/400-18.5/4	18.50 kW	4114092
CronoNorm-NL 100/400-22/4	22.00 kW	4114093
CronoNorm-NL 100/400-30/4	30.00 kW	4114094
CronoNorm-NL 100/400-37/4	37.00 kW	4114095
CronoNorm-NL 100/400-45/4	45.00 kW	4114096
CronoNorm-NL 125/200-7.5/4	7.50 kW	4114097
CronoNorm-NL 125/200-9/4	9.00 kW	4114098
CronoNorm-NL 125/200-11/4	11.00 kW	4114099
CronoNorm-NL 125/250-18.5/4	18.50 kW	4114109
CronoNorm-NL 125/315-15/4	15.00 kW	4114110
CronoNorm-NL 125/315-18.5/4	18.50 kW	4114111
CronoNorm-NL 125/315-22/4	22.00 kW	4114112
CronoNorm-NL 125/315-30/4	30.00 kW	4114113
CronoNorm-NL 125/315-37/4	37.00 kW	4114114
CronoNorm-NL 125/400-30/4	30.00 kW	4114115
CronoNorm-NL 125/400-37/4	37.00 kW	4114116
CronoNorm-NL 125/400-45/4	45.00 kW	4114117
CronoNorm-NL 125/400-55/4	55.00 kW	4114118
CronoNorm-NL 150/250-22/4	22.00 kW	4114127
CronoNorm-NL 32/200B-1.1/4	1.10 kW	4114442
CronoNorm-NL 80/200-2.2/4	2.20 kW	4114029
CronoNorm-NL 40/160-0.37/4	0.37 kW	4113883
CronoNorm-NL 32/200-0.75/4	0.75 kW	4113859
CronoNorm-NL 125/400-75/4	75.00 kW	4114119
CronoNorm-NL 32/160B-0.75/4	0.75 kW	4114434
CronoNorm-NL 100/250-4/4	4.00 kW	4114076
CronoNorm-NL 50/250-4/4	4.00 kW	4113956
CronoNorm-NL 50/315-4/4	4.00 kW	4113962
CronoNorm-NL 40/315-5.5/4	5.50 kW	4113917
CronoNorm-NL 80/200-3/4	3.00 kW	4114030
CronoNorm-NL 80/315-15/4	15.00 kW	4114052
CronoNorm-NL 32/250-2.2/4	2.20 kW	4113872
CronoNorm-NL 50/160-0.55/4	0.55 kW	4113931
CronoNorm-NL 80/250-3/4	3.00 kW	4114039
CronoNorm-NL 100/250-5.5/4	5.50 kW	4114077
CronoNorm-NL 125/250-15/4	15.00 kW	4114108
CronoNorm-NL 150/250-15/4	15.00 kW	4114125
CronoNorm-NL 150/315-45/4	45.00 kW	4114132
CronoNorm-NL 50/125-0.75/4	0.75 kW	4113925
CronoNorm-NL 125/250-9/4	9.00 kW	4114106
CronoNorm-NL 32/160B-0.37/4	0.37 kW	4114432
CronoNorm-NL 50/250-3/4	3.00 kW	4113955
CronoNorm-NL 40/200-0.55/4	0.55 kW	4113894
CronoNorm-NL 40/315-2.2/4	2.20 kW	4113914
CronoNorm-NL 50/315-7.5/4	7.50 kW	4113964
CronoNorm-NL 40/160-1.5/4	1.50 kW	4113887



## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 65/315-7.5/4	7.50 kW	4114012
CronoNorm-NL 40/250-2.2/4	2.20 kW	4113907
CronoNorm-NL 125/250-7.5/4	7.50 kW	4114105
CronoNorm-NL 80/160-1.5/4	1.50 kW	4114017
CronoNorm-NL 100/315-15/4	15.00 kW	4114088
CronoNorm-NL 50/315-5.5/4	5.50 kW	4113963
CronoNorm-NL 32/125-0.37/4	0.37 kW	4113844
CronoNorm-NL 65/200-1.5/4	1.50 kW	4115244
CronoNorm-NL 100/400-18.5/4	18.50 kW	4115344
CronoNorm-NL 40/200-2.2/4	2.20 kW	4115150
CronoNorm-NL 150/315-30/4	30.00 kW	4115382
CronoNorm-NL 50/200-1.1/4	1.10 kW	4115195
CronoNorm-NL 150/400-90/4	90.00 kW	4115389
CronoNorm-NL 150/400-55/4	55.00 kW	4115387
CronoNorm-NL 125/250-18.5/4	18.50 kW	4115361
CronoNorm-NL 100/200-7.5/4	7.50 kW	4115322
CronoNorm-NL 150/250-18.5/4	18.50 kW	4115378
CronoNorm-NL 150/200-11/4	11.00 kW	4115374
CronoNorm-NL 65/125-0.75/4	0.75 kW	4115227
CronoNorm-NL 125/250-9/4	9.00 kW	4115358
CronoNorm-NL 100/400-22/4	22.00 kW	4115345
CronoNorm-NL 125/400-30/4	30.00 kW	4115367
CronoNorm-NL 32/200-0.55/4	0.55 kW	4115110
CronoNorm-NL 50/200-1.5/4	1.50 kW	4115196
CronoNorm-NL 65/160-2.2/4	2.20 kW	4115236
CronoNorm-NL 40/250-1.5/4	1.50 kW	4115158
CronoNorm-NL 50/160-2.2/4	2.20 kW	4115187
CronoNorm-NL 150/315-55/4	55.00 kW	4115385
CronoNorm-NL 150/250-30/4	30.00 kW	4115380
CronoNorm-NL 100/315-18.5/4	18.50 kW	4115341
CronoNorm-NL 65/315-9/4	9.00 kW	4115265
CronoNorm-NL 100/250-4/4	4.00 kW	4115328
CronoNorm-NL 150/250-15/4	15.00 kW	4115377
CronoNorm-NL 150/400-45/4	45.00 kW	4115386
CronoNorm-NL 125/200-15/4	15.00 kW	4115352
CronoNorm-NL 50/125-0.55/4	0.55 kW	4115176
CronoNorm-NL 65/125-1.1/4	1.10 kW	4115228
CronoNorm-NL 50/160-1.1/4	1.10 kW	4115185
CronoNorm-NL 80/160-3/4	3.00 kW	4115271
CronoNorm-NL 32/160-0.75/4	0.75 kW	4115104
CronoNorm-NL 65/160-1.5/4	1.50 kW	4115235
CronoNorm-NL 50/200-3/4	3.00 kW	4115198
CronoNorm-NL 100/250-7.5/4	7.50 kW	4115330
CronoNorm-NL 40/125-0.37/4	0.37 kW	4115129
CronoNorm-NL 50/315-7.5/4	7.50 kW	4115216
CronoNorm-NL 40/160-1.1/4	1.10 kW	4115138
CronoNorm-NL 32/200B-1.1/4	1.10 kW	4115694

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 125/315-30/4	30.00 kW	4115365
CronoNorm-NL 125/400-75/4	75.00 kW	4115371
CronoNorm-NL 100/400-15/4	15.00 kW	4115343
CronoNorm-NL 32/160B-0.75/4	0.75 kW	4115686
CronoNorm-NL 150/200-15/4	15.00 kW	4115375
CronoNorm-NL 40/125-0.55/4	0.55 kW	4115130
CronoNorm-NL 150/315-37/4	37.00 kW	4115383
CronoNorm-NL 50/160-0.55/4	0.55 kW	4115183
CronoNorm-NL 150/200-9/4	9.00 kW	4115373
CronoNorm-NL 32/160-0.37/4	0.37 kW	4115102
CronoNorm-NL 100/250-9/4	9.00 kW	4115331
CronoNorm-NL 50/125-0.75/4	0.75 kW	4115177
CronoNorm-NL 125/315-37/4	37.00 kW	4115366
CronoNorm-NL 40/160-0.55/4	0.55 kW	4115136
CronoNorm-NL 32/250-1.1/4	1.10 kW	4115122
CronoNorm-NL 65/200-1.1/4	1.10 kW	4115243
CronoNorm-NL 32/160B-0.37/4	0.37 kW	4115684
CronoNorm-NL 150/315-45/4	45.00 kW	4115384
CronoNorm-NL 32/200-0.75/4	0.75 kW	4115111
CronoNorm-NL 125/200-11/4	11.00 kW	4115351
CronoNorm-NL 125/315-18.5/4	18.50 kW	4115363
CronoNorm-NL 100/400-30/4	30.00 kW	4115346
CronoNorm-NL 50/250-2.2/4	2.20 kW	4115206
CronoNorm-NL 150/400-75/4	75.00 kW	4115388
CronoNorm-NL 50/315-4/4	4.00 kW	4115214
CronoNorm-NL 40/315-5.5/4	5.50 kW	4115169
CronoNorm-NL 100/315-15/4	15.00 kW	4115340
CronoNorm-NL 50/315-9/4	9.00 kW	4115217
CronoNorm-NL 50/160-1.5/4	1.50 kW	4115186
CronoNorm-NL 32/125-0.37/4	0.37 kW	4115096
CronoNorm-NL 125/250-15/4	15.00 kW	4115360
CronoNorm-NL 65/125-0.55/4	0.55 kW	4115226
CronoNorm-NL 32/160-0.55/4	0.55 kW	4115103
CronoNorm-NL 32/200B-0.55/4	0.55 kW	4115692
CronoNorm-NL 40/250-1.1/4	1.10 kW	4115157
CronoNorm-NL 150/200-18.5/4	18.50 kW	4115376
CronoNorm-NL 32/200B-0.75/4	0.75 kW	4115693
CronoNorm-NL 40/160-0.75/4	0.75 kW	4115137
CronoNorm-NL 40/315-2.2/4	2.20 kW	4115166
CronoNorm-NL 40/160-0.37/4	0.37 kW	4115135
CronoNorm-NL 125/250-11/4	11.00 kW	4115359
CronoNorm-NL 150/315-22/4	22.00 kW	4115381
CronoNorm-NL 40/200-0.55/4	0.55 kW	4115146
CronoNorm-NL 80/315-9/4	9.00 kW	4115302
CronoNorm-NL 100/250-11/4	11.00 kW	4115332
CronoNorm-NL 32/250-2.2/4	2.20 kW	4115124
CronoNorm-NL 32/200-1.5/4	1.50 kW	4115113

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 100/400-45/4	45.00 kW	4115348
CronoNorm-NL 40/250-3/4	3.00 kW	4115160
CronoNorm-NL 32/200-1.1/4	1.10 kW	4115112
CronoNorm-NL 50/125-0.37/4	0.37 kW	4115175
CronoNorm-NL 40/315-3/4	3.00 kW	4115167
CronoNorm-NL 100/315-22/4	22.00 kW	4115342
CronoNorm-NL 125/400-37/4	37.00 kW	4115368
CronoNorm-NL 65/200-2.2/4	2.20 kW	4115245
CronoNorm-NL 65/200-4/4	4.00 kW	4115247
CronoNorm-NL 65/250-2.2/4	2.20 kW	4115254
CronoNorm-NL 65/250-3/4	3.00 kW	4115255
CronoNorm-NL 65/250-4/4	4.00 kW	4115256
CronoNorm-NL 65/250-5.5/4	5.50 kW	4115257
CronoNorm-NL 65/315-5.5/4	5.50 kW	4115263
CronoNorm-NL 65/315-7.5/4	7.50 kW	4115264
CronoNorm-NL 65/315-15/4	15.00 kW	4115267
CronoNorm-NL 80/160-1.1/4	1.10 kW	4115268
CronoNorm-NL 80/160-1.5/4	1.50 kW	4115269
CronoNorm-NL 80/160-2.2/4	2.20 kW	4115270
CronoNorm-NL 80/160-4/4	4.00 kW	4115272
CronoNorm-NL 80/200-1.5/4	1.50 kW	4115280
CronoNorm-NL 80/200-2.2/4	2.20 kW	4115281
CronoNorm-NL 80/200-3/4	3.00 kW	4115282
CronoNorm-NL 80/200-5.5/4	5.50 kW	4115284
CronoNorm-NL 80/250-3/4	3.00 kW	4115291
CronoNorm-NL 80/250-5.5/4	5.50 kW	4115293
CronoNorm-NL 80/250-7.5/4	7.50 kW	4115294
CronoNorm-NL 80/315-5.5/4	5.50 kW	4115300
CronoNorm-NL 80/315-7.5/4	7.50 kW	4115301
CronoNorm-NL 80/315-15/4	15.00 kW	4115304
CronoNorm-NL 80/400-11/4	11.00 kW	4115305
CronoNorm-NL 80/400-18.5/4	18.50 kW	4115307
CronoNorm-NL 80/400-22/4	22.00 kW	4115308
CronoNorm-NL 80/400-30/4	30.00 kW	4115309
CronoNorm-NL 100/160-2.2/4	2.20 kW	4115310
CronoNorm-NL 100/160-3/4	3.00 kW	4115311
CronoNorm-NL 100/160-4/4	4.00 kW	4115312
CronoNorm-NL 100/160-5.5/4	5.50 kW	4115313
CronoNorm-NL 100/200-2.2/4	2.20 kW	4115318
CronoNorm-NL 100/200-4/4	4.00 kW	4115320
CronoNorm-NL 50/250-1.5/4	1.50 kW	4115205
CronoNorm-NL 100/250-5.5/4	5.50 kW	4115329
CronoNorm-NL 50/250-4/4	4.00 kW	4115208
CronoNorm-NL 125/315-15/4	15.00 kW	4115362
CronoNorm-NL 125/400-55/4	55.00 kW	4115370
CronoNorm-NL 125/200-7.5/4	7.50 kW	4115349
CronoNorm-NL 32/250-1.5/4	1.50 kW	4115123

## Product list: Wilo-CronoNorm-NL

Product description	Rated power $P_2$	Article number
CronoNorm-NL 100/200-3/4	3.00 kW	4115319
CronoNorm-NL 65/160-0.75/4	0.75 kW	4115234
CronoNorm-NL 150/200-7.5/4	7.50 kW	4115372
CronoNorm-NL 80/200-4/4	4.00 kW	4115283
CronoNorm-NL 50/250-3/4	3.00 kW	4115207
CronoNorm-NL 40/315-4/4	4.00 kW	4115168
CronoNorm-NL 80/250-4/4	4.00 kW	4115292
CronoNorm-NL 80/315-11/4	11.00 kW	4115303
CronoNorm-NL 100/315-11/4	11.00 kW	4115339
CronoNorm-NL 50/160-0.75/4	0.75 kW	4115184
CronoNorm-NL 32/160B-0.55/4	0.55 kW	4115685
CronoNorm-NL 65/315-11/4	11.00 kW	4115266
CronoNorm-NL 125/400-45/4	45.00 kW	4115369
CronoNorm-NL 40/200-1.5/4	1.50 kW	4115149
CronoNorm-NL 50/200-2.2/4	2.20 kW	4115197
CronoNorm-NL 150/250-22/4	22.00 kW	4115379
CronoNorm-NL 40/200-0.75/4	0.75 kW	4115147
CronoNorm-NL 40/160-1.5/4	1.50 kW	4115139
CronoNorm-NL 125/250-7.5/4	7.50 kW	4115357
CronoNorm-NL 50/315-5.5/4	5.50 kW	4115215
CronoNorm-NL 40/250-2.2/4	2.20 kW	4115159
CronoNorm-NL 100/400-37/4	37.00 kW	4115347
CronoNorm-NL 32/200B-1.5/4	1.50 kW	4115695
CronoNorm-NL 125/200-9/4	9.00 kW	4115350
CronoNorm-NL 125/315-22/4	22.00 kW	4115364
CronoNorm-NL 32/250-0.75/4	0.75 kW	4115121
CronoNorm-NL 65/200-3/4	3.00 kW	4115246
CronoNorm-NL 80/400-15/4	15.00 kW	4115306
CronoNorm-NL 100/200-5.5/4	5.50 kW	4115321
CronoNorm-NL 40/200-1.1/4	1.10 kW	4115148