



## Series description: Wilo-SCP

Wilo-SCP



Wilo-SCP



### Design type

Axially split case pump mounted on a baseplate

### Application

- Pumping heating water in accordance with VDI 2035 water/glycol mixtures, cooling/cold water and domestic hot water
- Applications in municipal water supply, irrigation, building services, general industry, power stations, etc.

### Scope of delivery

- Pump
- Installation and operating instructions

### Type key

Example	<b>SCP 200/250HA-110/4</b>
SCP	Axially split case pump
200	Nominal diameter of pressure port
250	Nominal diameter of impeller
HA	Hydraulics type A
HB	Hydraulics type B
Hs	Single suction impeller
DS	Two-stage pump
DV	Double volute
110	Rated motor power P2 [kW]
4	4-pole motor

### Materials

- Pump housing: EN-GJL-250
- Impeller: G-CuSn10
- Shaft: X12Cr13

### Description/construction

- Centrifugal axially split case pump, available in single-stage and two-stage design.
- Delivered as complete unit (pump with coupling, coupling guard, motor and baseplate) or without motor or only pump hydraulics
- Shaft sealing with mechanical seal or stuffing box packing
- 2-, 4- and 6-pole motors; IE3-standard to 375 kW (IE4, IE2 on request)
- Cast baseplate: SCP 200 and higher with welded steel frame (depending on the motor power and dimensions)

### Special features/product advantages

- Efficient hydraulics for high flow rates up to 17,000 m<sup>3</sup>/h
- Low NPSH thanks to double suction impeller
- High process reliability and easy maintenance without removing the pressure or suction lines
- Decreased noise level and reduced vibrations
- Options: energy efficient IE3-/IE4 motors, drinking water approval (KTW, ACS), innovative Ceram CT coating

## Product list: Wilo-SCP

Product description	Rated power $P_2$	Article number
SCP 100/270HA	11.00 kW	SCP100_270HA-11_4_50Hz
SCP 100/270HA	4.00 kW	SCP100_270HA-4_4_50Hz
SCP 100/270HA	5.50 kW	SCP100_270HA-5,5_4_50Hz
SCP 100/270HA	7.50 kW	SCP100_270HA-7,5_4_50Hz
SCP 100/280HA	11.00 kW	SCP100_280HA-11_4_50Hz
SCP 100/280HA	15.00 kW	SCP100_280HA-15_4_50Hz
SCP 100/280HA	18.50 kW	SCP100_280HA-18,5_4_50Hz
SCP 100/280HA	4.00 kW	SCP100_280HA-4_4_50Hz
SCP 100/280HA	5.50 kW	SCP100_280HA-5,5_4_50Hz
SCP 100/280HA	7.50 kW	SCP100_280HA-7,5_4_50Hz
SCP 100/360HA	11.00 kW	SCP100_360HA-11_4_50Hz
SCP 100/360HA	15.00 kW	SCP100_360HA-15_4_50Hz
SCP 100/360HA	18.50 kW	SCP100_360HA-18,5_4_50Hz
SCP 100/360HA	22.00 kW	SCP100_360HA-22_4_50Hz
SCP 100/360HA	30.00 kW	SCP100_360HA-30_4_50Hz
SCP 100/360HA	5.50 kW	SCP100_360HA-5,5_4_50Hz
SCP 100/360HA	7.50 kW	SCP100_360HA-7,5_4_50Hz
SCP 100/400HA	15.00 kW	SCP100_400HA-15_4_50Hz
SCP 100/400HA	18.50 kW	SCP100_400HA-18,5_4_50Hz
SCP 100/400HA	22.00 kW	SCP100_400HA-22_4_50Hz
SCP 100/400HA	30.00 kW	SCP100_400HA-30_4_50Hz
SCP 100/400HA	37.00 kW	SCP100_400HA-37_4_50Hz
SCP 100/400HA	45.00 kW	SCP100_400HA-45_4_50Hz
SCP 100/400HA	55.00 kW	SCP100_400HA-55_4_50Hz
SCP 100/410DS	22.00 kW	SCP100_410DS-22_4_50Hz
SCP 100/410DS	30.00 kW	SCP100_410DS-30_4_50Hz
SCP 100/410DS	37.00 kW	SCP100_410DS-37_4_50Hz
SCP 100/410DS	45.00 kW	SCP100_410DS-45_4_50Hz
SCP 100/410DS	55.00 kW	SCP100_410DS-55_4_50Hz
SCP 100/410DS	75.00 kW	SCP100_410DS-75_4_50Hz
SCP 100/410DS	90.00 kW	SCP100_410DS-90_4_50Hz
SCP 125/290HA	11.00 kW	SCP125_290HA-11_4_50Hz
SCP 125/290HA	15.00 kW	SCP125_290HA-15_4_50Hz
SCP 125/290HA	18.50 kW	SCP125_290HA-18,5_4_50Hz
SCP 125/290HA	22.00 kW	SCP125_290HA-22_4_50Hz
SCP 125/290HA	7.50 kW	SCP125_290HA-7,5_4_50Hz
SCP 125/330HA	15.00 kW	SCP125_330HA-15_4_50Hz
SCP 125/330HA	18.50 kW	SCP125_330HA-18,5_4_50Hz
SCP 125/330HA	22.00 kW	SCP125_330HA-22_4_50Hz
SCP 125/330HA	30.00 kW	SCP125_330HA-30_4_50Hz
SCP 125/330HA	37.00 kW	SCP125_330HA-37_4_50Hz
SCP 125/330HA	45.00 kW	SCP125_330HA-45_4_50Hz
SCP 125/440HA	110.00 kW	SCP125_440HA-110_4_50Hz
SCP 125/440HA	22.00 kW	SCP125_440HA-22_4_50Hz
SCP 125/440HA	30.00 kW	SCP125_440HA-30_4_50Hz
SCP 125/440HA	37.00 kW	SCP125_440HA-37_4_50Hz
SCP 125/440HA	45.00 kW	SCP125_440HA-45_4_50Hz

## Product list: Wilo-SCP

Product description	Rated power $P_2$	Article number
SCP 125/440HA	55.00 kW	SCP125_440HA-55_4_50Hz
SCP 125/440HA	75.00 kW	SCP125_440HA-75_4_50Hz
SCP 125/440HA	90.00 kW	SCP125_440HA-90_4_50Hz
SCP 125/460DS	110.00 kW	SCP125_460DS-110_4_50Hz
SCP 125/460DS	132.00 kW	SCP125_460DS-132_4_50Hz
SCP 125/460DS	160.00 kW	SCP125_460DS-160_4_50Hz
SCP 125/460DS	200.00 kW	SCP125_460DS-200_4_50Hz
SCP 125/460DS	37.00 kW	SCP125_460DS-37_4_50Hz
SCP 125/460DS	45.00 kW	SCP125_460DS-45_4_50Hz
SCP 125/460DS	55.00 kW	SCP125_460DS-55_4_50Hz
SCP 125/460DS	75.00 kW	SCP125_460DS-75_4_50Hz
SCP 125/460DS	90.00 kW	SCP125_460DS-90_4_50Hz
SCP 125/470HA	110.00 kW	SCP125_470HA-110_4_50Hz
SCP 125/470HA	132.00 kW	SCP125_470HA-132_4_50Hz
SCP 125/470HA	37.00 kW	SCP125_470HA-37_4_50Hz
SCP 125/470HA	45.00 kW	SCP125_470HA-45_4_50Hz
SCP 125/470HA	55.00 kW	SCP125_470HA-55_4_50Hz
SCP 125/470HA	75.00 kW	SCP125_470HA-75_4_50Hz
SCP 125/470HA	90.00 kW	SCP125_470HA-90_4_50Hz
SCP 150/290HA	15.00 kW	SCP150_290HA-15_4_50Hz
SCP 150/290HA	18.50 kW	SCP150_290HA-18,5_4_50Hz
SCP 150/290HA	22.00 kW	SCP150_290HA-22_4_50Hz
SCP 150/290HA	30.00 kW	SCP150_290HA-30_4_50Hz
SCP 150/290HA	37.00 kW	SCP150_290HA-37_4_50Hz
SCP 150/350HA	30.00 kW	SCP150_350HA-30_4_50Hz
SCP 150/350HA	37.00 kW	SCP150_350HA-37_4_50Hz
SCP 150/350HA	45.00 kW	SCP150_350HA-45_4_50Hz
SCP 150/350HA	55.00 kW	SCP150_350HA-55_4_50Hz
SCP 150/350HA	75.00 kW	SCP150_350HA-75_4_50Hz
SCP 150/390HA	18.50 kW	SCP150_390HA-18,5_4_50Hz
SCP 150/390HA	22.00 kW	SCP150_390HA-22_4_50Hz
SCP 150/390HA	30.00 kW	SCP150_390HA-30_4_50Hz
SCP 150/390HA	37.00 kW	SCP150_390HA-37_4_50Hz
SCP 150/390HA	45.00 kW	SCP150_390HA-45_4_50Hz
SCP 150/390HA	55.00 kW	SCP150_390HA-55_4_50Hz
SCP 150/390HA	75.00 kW	SCP150_390HA-75_4_50Hz
SCP 150/440HA	110.00 kW	SCP150_440HA-110_4_50Hz
SCP 150/440HA	132.00 kW	SCP150_440HA-132_4_50Hz
SCP 150/440HA	30.00 kW	SCP150_440HA-30_4_50Hz
SCP 150/440HA	37.00 kW	SCP150_440HA-37_4_50Hz
SCP 150/440HA	45.00 kW	SCP150_440HA-45_4_50Hz
SCP 150/440HA	55.00 kW	SCP150_440HA-55_4_50Hz
SCP 150/440HA	75.00 kW	SCP150_440HA-75_4_50Hz
SCP 150/440HA	90.00 kW	SCP150_440HA-90_4_50Hz
SCP 150/460DS	110.00 kW	SCP150_460DS-110_4_50Hz
SCP 150/460DS	132.00 kW	SCP150_460DS-132_4_50Hz
SCP 150/460DS	160.00 kW	SCP150_460DS-160_4_50Hz

## Product list: Wilo-SCP

Product description	Rated power $P_2$	Article number
SCP 150/460DS	200.00 kW	SCP150_460DS-200_4_50Hz
SCP 150/460DS	75.00 kW	SCP150_460DS-75_4_50Hz
SCP 150/460DS	90.00 kW	SCP150_460DS-90_4_50Hz
SCP 150/530HA	110.00 kW	SCP150_530HA-110_4_50Hz
SCP 150/530HA	132.00 kW	SCP150_530HA-132_4_50Hz
SCP 150/530HA	160.00 kW	SCP150_530HA-160_4_50Hz
SCP 150/530HA	200.00 kW	SCP150_530HA-200_4_50Hz
SCP 150/530HA	55.00 kW	SCP150_530HA-55_4_50Hz
SCP 150/530HA	75.00 kW	SCP150_530HA-75_4_50Hz
SCP 150/530HA	90.00 kW	SCP150_530HA-90_4_50Hz
SCP 150/580HA	110.00 kW	SCP150_580HA-110_4_50Hz
SCP 150/580HA	132.00 kW	SCP150_580HA-132_4_50Hz
SCP 150/580HA	160.00 kW	SCP150_580HA-160_4_50Hz
SCP 150/580HA	200.00 kW	SCP150_580HA-200_4_50Hz
SCP 150/580HA	45.00 kW	SCP150_580HA-45_4_50Hz
SCP 150/580HA	55.00 kW	SCP150_580HA-55_4_50Hz
SCP 150/580HA	75.00 kW	SCP150_580HA-75_4_50Hz
SCP 150/580HA	90.00 kW	SCP150_580HA-90_4_50Hz
SCP 200/310HA	18.50 kW	SCP200_310HA-18,5_4_50Hz
SCP 200/310HA	22.00 kW	SCP200_310HA-22_4_50Hz
SCP 200/310HA	30.00 kW	SCP200_310HA-30_4_50Hz
SCP 200/310HA	37.00 kW	SCP200_310HA-37_4_50Hz
SCP 200/310HA	45.00 kW	SCP200_310HA-45_4_50Hz
SCP 200/310HA	55.00 kW	SCP200_310HA-55_4_50Hz
SCP 200/320HA	22.00 kW	SCP200_320HA-22_4_50Hz
SCP 200/320HA	30.00 kW	SCP200_320HA-30_4_50Hz
SCP 200/320HA	37.00 kW	SCP200_320HA-37_4_50Hz
SCP 200/320HA	45.00 kW	SCP200_320HA-45_4_50Hz
SCP 200/320HA	55.00 kW	SCP200_320HA-55_4_50Hz
SCP 200/320HA	75.00 kW	SCP200_320HA-75_4_50Hz
SCP 200/360HB	110.00 kW	SCP200_360HB-110_4_50Hz
SCP 200/360HB	37.00 kW	SCP200_360HB-37_4_50Hz
SCP 200/360HB	45.00 kW	SCP200_360HB-45_4_50Hz
SCP 200/360HB	55.00 kW	SCP200_360HB-55_4_50Hz
SCP 200/360HB	75.00 kW	SCP200_360HB-75_4_50Hz
SCP 200/360HB	90.00 kW	SCP200_360HB-90_4_50Hz
SCP 200/370HA	110.00 kW	SCP200_370HA-110_4_50Hz
SCP 200/370HA	132.00 kW	SCP200_370HA-132_4_50Hz
SCP 200/370HA	37.00 kW	SCP200_370HA-37_4_50Hz
SCP 200/370HA	45.00 kW	SCP200_370HA-45_4_50Hz
SCP 200/370HA	55.00 kW	SCP200_370HA-55_4_50Hz
SCP 200/370HA	75.00 kW	SCP200_370HA-75_4_50Hz
SCP 200/370HA	90.00 kW	SCP200_370HA-90_4_50Hz
SCP 200/390HA	110.00 kW	SCP200_390HA-110_4_50Hz
SCP 200/390HA	132.00 kW	SCP200_390HA-132_4_50Hz
SCP 200/390HA	37.00 kW	SCP200_390HA-37_4_50Hz
SCP 200/390HA	45.00 kW	SCP200_390HA-45_4_50Hz

## Product list: Wilo-SCP

Product description	Rated power $P_2$	Article number
SCP 200/390HA	55.00 kW	SCP200_390HA-55_4_50Hz
SCP 200/390HA	75.00 kW	SCP200_390HA-75_4_50Hz
SCP 200/390HA	90.00 kW	SCP200_390HA-90_4_50Hz
SCP 200/440HA	110.00 kW	SCP200_440HA-110_4_50Hz
SCP 200/440HA	132.00 kW	SCP200_440HA-132_4_50Hz
SCP 200/440HA	160.00 kW	SCP200_440HA-160_4_50Hz
SCP 200/440HA	45.00 kW	SCP200_440HA-45_4_50Hz
SCP 200/440HA	55.00 kW	SCP200_440HA-55_4_50Hz
SCP 200/440HA	75.00 kW	SCP200_440HA-75_4_50Hz
SCP 200/440HA	90.00 kW	SCP200_440HA-90_4_50Hz
SCP 200/460HA	110.00 kW	SCP200_460HA-110_4_50Hz
SCP 200/460HA	132.00 kW	SCP200_460HA-132_4_50Hz
SCP 200/460HA	160.00 kW	SCP200_460HA-160_4_50Hz
SCP 200/460HA	200.00 kW	SCP200_460HA-200_4_50Hz
SCP 200/460HA	250.00 kW	SCP200_460HA-250_4_50Hz
SCP 200/460HA	55.00 kW	SCP200_460HA-55_4_50Hz
SCP 200/460HA	75.00 kW	SCP200_460HA-75_4_50Hz
SCP 200/460HA	90.00 kW	SCP200_460HA-90_4_50Hz
SCP 200/480HA	110.00 kW	SCP200_480HA-110_4_50Hz
SCP 200/480HA	132.00 kW	SCP200_480HA-132_4_50Hz
SCP 200/480HA	160.00 kW	SCP200_480HA-160_4_50Hz
SCP 200/480HA	200.00 kW	SCP200_480HA-200_4_50Hz
SCP 200/480HA	75.00 kW	SCP200_480HA-75_4_50Hz
SCP 200/480HA	90.00 kW	SCP200_480HA-90_4_50Hz
SCP 200/550HA	110.00 kW	SCP200_550HA-110_4_50Hz
SCP 200/550HA	132.00 kW	SCP200_550HA-132_4_50Hz
SCP 200/550HA	160.00 kW	SCP200_550HA-160_4_50Hz
SCP 200/550HA	200.00 kW	SCP200_550HA-200_4_50Hz
SCP 200/550HA	250.00 kW	SCP200_550HA-250_4_50Hz
SCP 200/550HA	315.00 kW	SCP200_550HA-315_4_50Hz
SCP 200/550HA	90.00 kW	SCP200_550HA-90_4_50Hz
SCP 200/560HA	160.00 kW	SCP200_560HA-160_4_50Hz
SCP 200/560HA	200.00 kW	SCP200_560HA-200_4_50Hz
SCP 200/560HA	250.00 kW	SCP200_560HA-250_4_50Hz
SCP 200/560HA	315.00 kW	SCP200_560HA-315_4_50Hz
SCP 200/560HA	355.00 kW	SCP200_560HA-355_4_50Hz
SCP 200/660DV	110.00 kW	SCP200_660DV-110_4_50Hz
SCP 200/660DV	132.00 kW	SCP200_660DV-132_4_50Hz
SCP 200/660DV	160.00 kW	SCP200_660DV-160_4_50Hz
SCP 200/660DV	200.00 kW	SCP200_660DV-200_4_50Hz
SCP 200/660DV	250.00 kW	SCP200_660DV-250_4_50Hz
SCP 200/660DV	315.00 kW	SCP200_660DV-315_4_50Hz
SCP 200/660DV	355.00 kW	SCP200_660DV-355_4_50Hz
SCP 200/660DV	400.00 kW	SCP200_660DV-400_4_50Hz
SCP 200/660DV	450.00 kW	SCP200_660DV-450_4_50Hz
SCP 200/660DV	500.00 kW	SCP200_660DV-500_4_50Hz
SCP 250/250HA	15.00 kW	SCP250_250HA-15_4_50Hz

## Product list: Wilo-SCP

Product description	Rated power $P_2$	Article number
SCP 250/250HA	18.50 kW	SCP250_250HA-18,5_4_50Hz
SCP 250/250HA	22.00 kW	SCP250_250HA-22_4_50Hz
SCP 250/250HA	30.00 kW	SCP250_250HA-30_4_50Hz
SCP 250/250HA	37.00 kW	SCP250_250HA-37_4_50Hz
SCP 250/360HA	110.00 kW	SCP250_360HA-110_4_50Hz
SCP 250/360HA	37.00 kW	SCP250_360HA-37_4_50Hz
SCP 250/360HA	45.00 kW	SCP250_360HA-45_4_50Hz
SCP 250/360HA	55.00 kW	SCP250_360HA-55_4_50Hz
SCP 250/360HA	75.00 kW	SCP250_360HA-75_4_50Hz
SCP 250/360HA	90.00 kW	SCP250_360HA-90_4_50Hz
SCP 250/390HA	110.00 kW	SCP250_390HA-110_4_50Hz
SCP 250/390HA	132.00 kW	SCP250_390HA-132_4_50Hz
SCP 250/390HA	160.00 kW	SCP250_390HA-160_4_50Hz
SCP 250/390HA	200.00 kW	SCP250_390HA-200_4_50Hz
SCP 250/390HA	250.00 kW	SCP250_390HA-250_4_50Hz
SCP 250/390HA	90.00 kW	SCP250_390HA-90_4_50Hz
SCP 250/450HA	110.00 kW	SCP250_450HA-110_4_50Hz
SCP 250/450HA	132.00 kW	SCP250_450HA-132_4_50Hz
SCP 250/450HA	160.00 kW	SCP250_450HA-160_4_50Hz
SCP 250/450HA	200.00 kW	SCP250_450HA-200_4_50Hz
SCP 250/450HA	250.00 kW	SCP250_450HA-250_4_50Hz
SCP 250/450HA	315.00 kW	SCP250_450HA-315_4_50Hz
SCP 250/570HA	200.00 kW	SCP250_570HA-200_4_50Hz
SCP 250/570HA	250.00 kW	SCP250_570HA-250_4_50Hz
SCP 250/570HA	315.00 kW	SCP250_570HA-315_4_50Hz
SCP 250/570HA	355.00 kW	SCP250_570HA-355_4_50Hz
SCP 250/570HA	400.00 kW	SCP250_570HA-400_4_50Hz
SCP 250/570HA	450.00 kW	SCP250_570HA-450_4_50Hz
SCP 250/570HA	500.00 kW	SCP250_570HA-500_4_50Hz
SCP 250/570HA	560.00 kW	SCP250_570HA-560_4_50Hz
SCP 250/570HA	630.00 kW	SCP250_570HA-630_4_50Hz
SCP 250/700DV	315.00 kW	SCP250_700DV-315_4_50Hz
SCP 250/700DV	355.00 kW	SCP250_700DV-355_4_50Hz
SCP 250/700DV	400.00 kW	SCP250_700DV-400_4_50Hz
SCP 250/700DV	450.00 kW	SCP250_700DV-450_4_50Hz
SCP 250/700DV	500.00 kW	SCP250_700DV-500_4_50Hz
SCP 250/700DV	560.00 kW	SCP250_700DV-560_4_50Hz
SCP 250/700DV	630.00 kW	SCP250_700DV-630_4_50Hz
SCP 250/740DV	400.00 kW	SCP250_740DV-400_4_50Hz
SCP 250/740DV	450.00 kW	SCP250_740DV-450_4_50Hz
SCP 250/740DV	500.00 kW	SCP250_740DV-500_4_50Hz
SCP 250/740DV	560.00 kW	SCP250_740DV-560_4_50Hz
SCP 250/740DV	630.00 kW	SCP250_740DV-630_4_50Hz
SCP 300/330HB	110.00 kW	SCP300_330HB-110_4_50Hz
SCP 300/330HB	132.00 kW	SCP300_330HB-132_4_50Hz
SCP 300/330HB	55.00 kW	SCP300_330HB-55_4_50Hz
SCP 300/330HB	75.00 kW	SCP300_330HB-75_4_50Hz

## Product list: Wilo-SCP

Product description	Rated power $P_2$	Article number
SCP 300/330HB	90.00 kW	SCP300_330HB-90_4_50Hz
SCP 300/380HA	110.00 kW	SCP300_380HA-110_4_50Hz
SCP 300/380HA	132.00 kW	SCP300_380HA-132_4_50Hz
SCP 300/380HA	160.00 kW	SCP300_380HA-160_4_50Hz
SCP 300/380HA	200.00 kW	SCP300_380HA-200_4_50Hz
SCP 300/380HA	250.00 kW	SCP300_380HA-250_4_50Hz
SCP 300/400HA	110.00 kW	SCP300_400HA-110_4_50Hz
SCP 300/400HA	132.00 kW	SCP300_400HA-132_4_50Hz
SCP 300/400HA	160.00 kW	SCP300_400HA-160_4_50Hz
SCP 300/400HA	200.00 kW	SCP300_400HA-200_4_50Hz
SCP 300/400HA	250.00 kW	SCP300_400HA-250_4_50Hz
SCP 300/490HA	110.00 kW	SCP300_490HA-110_4_50Hz
SCP 300/490HA	132.00 kW	SCP300_490HA-132_4_50Hz
SCP 300/490HA	160.00 kW	SCP300_490HA-160_4_50Hz
SCP 300/490HA	200.00 kW	SCP300_490HA-200_4_50Hz
SCP 300/490HA	250.00 kW	SCP300_490HA-250_4_50Hz
SCP 300/490HA	315.00 kW	SCP300_490HA-315_4_50Hz
SCP 300/490HA	355.00 kW	SCP300_490HA-355_4_50Hz
SCP 300/490HA	400.00 kW	SCP300_490HA-400_4_50Hz
SCP 300/570HA	250.00 kW	SCP300_570HA-250_4_50Hz
SCP 300/570HA	315.00 kW	SCP300_570HA-315_4_50Hz
SCP 300/570HA	355.00 kW	SCP300_570HA-355_4_50Hz
SCP 300/570HA	400.00 kW	SCP300_570HA-400_4_50Hz
SCP 300/570HA	450.00 kW	SCP300_570HA-450_4_50Hz
SCP 300/570HA	500.00 kW	SCP300_570HA-500_4_50Hz
SCP 300/570HA	560.00 kW	SCP300_570HA-560_4_50Hz
SCP 300/570HA	630.00 kW	SCP300_570HA-630_4_50Hz
SCP 300/660DV	250.00 kW	SCP300_660DV-250_4_50Hz
SCP 300/660DV	315.00 kW	SCP300_660DV-315_4_50Hz
SCP 300/660DV	355.00 kW	SCP300_660DV-355_4_50Hz
SCP 300/660DV	400.00 kW	SCP300_660DV-400_4_50Hz
SCP 300/660DV	450.00 kW	SCP300_660DV-450_4_50Hz
SCP 300/660DV	500.00 kW	SCP300_660DV-500_4_50Hz
SCP 300/660DV	560.00 kW	SCP300_660DV-560_4_50Hz
SCP 300/660DV	630.00 kW	SCP300_660DV-630_4_50Hz
SCP 300/660DV	800.00 kW	SCP300_660DV-800_4_50Hz
SCP 350/470HA	200.00 kW	SCP350_470HA-200_4_50Hz
SCP 350/470HA	250.00 kW	SCP350_470HA-250_4_50Hz
SCP 350/470HA	315.00 kW	SCP350_470HA-315_4_50Hz
SCP 350/470HA	355.00 kW	SCP350_470HA-355_4_50Hz
SCP 350/470HA	400.00 kW	SCP350_470HA-400_4_50Hz
SCP 350/500HA	110.00 kW	SCP350_500HA-110_6_50Hz
SCP 350/500HA	132.00 kW	SCP350_500HA-132_6_50Hz
SCP 350/500HA	160.00 kW	SCP350_500HA-160_6_50Hz
SCP 350/500HA	200.00 kW	SCP350_500HA-200_6_50Hz
SCP 400/480HA	110.00 kW	SCP400_480HA-110_6_50Hz
SCP 400/480HA	132.00 kW	SCP400_480HA-132_6_50Hz

## Product list: Wilo-SCP

Product description	Rated power $P_2$	Article number
SCP 400/480HA	160.00 kW	SCP400_480HA-160_6_50Hz
SCP 400/480HA	200.00 kW	SCP400_480HA-200_6_50Hz
SCP 400/540HA	110.00 kW	SCP400_540HA-110_6_50Hz
SCP 400/540HA	132.00 kW	SCP400_540HA-132_6_50Hz
SCP 400/540HA	160.00 kW	SCP400_540HA-160_6_50Hz
SCP 400/540HA	200.00 kW	SCP400_540HA-200_6_50Hz
SCP 400/540HA	250.00 kW	SCP400_540HA-250_6_50Hz
SCP 400/540HA	315.00 kW	SCP400_540HA-315_6_50Hz
SCP 400/540HA	90.00 kW	SCP400_540HA-90_6_50Hz
SCP 400/550HA	160.00 kW	SCP400_550HA-160_6_50Hz
SCP 400/550HA	200.00 kW	SCP400_550HA-200_6_50Hz
SCP 400/550HA	250.00 kW	SCP400_550HA-250_6_50Hz
SCP 400/550HA	315.00 kW	SCP400_550HA-315_6_50Hz
SCP 400/660DV	315.00 kW	SCP400_660DV-315_4_50Hz
SCP 400/660DV	355.00 kW	SCP400_660DV-355_4_50Hz
SCP 400/660DV	400.00 kW	SCP400_660DV-400_4_50Hz
SCP 400/660DV	450.00 kW	SCP400_660DV-450_4_50Hz
SCP 400/660DV	500.00 kW	SCP400_660DV-500_4_50Hz
SCP 400/660DV	560.00 kW	SCP400_660DV-560_4_50Hz
SCP 400/660DV	630.00 kW	SCP400_660DV-630_4_50Hz
SCP 400/710HA	200.00 kW	SCP400_710HA-200_6_50Hz
SCP 400/710HA	250.00 kW	SCP400_710HA-250_6_50Hz
SCP 400/710HA	315.00 kW	SCP400_710HA-315_6_50Hz
SCP 400/710HA	355.00 kW	SCP400_710HA-355_6_50Hz
SCP 400/710HA	400.00 kW	SCP400_710HA-400_6_50Hz
SCP 400/710HA	450.00 kW	SCP400_710HA-450_6_50Hz
SCP 400/710HA	500.00 kW	SCP400_710HA-500_6_50Hz
SCP 400/710HA	560.00 kW	SCP400_710HA-560_6_50Hz
SCP 400/710HA	630.00 kW	SCP400_710HA-630_6_50Hz
SCP 50/180HA	1.10 kW	SCP50_180HA-1,1_4_50Hz
SCP 50/180HA	1.50 kW	SCP50_180HA-1,5_4_50Hz
SCP 50/220HA	1.10 kW	SCP50_220HA-1,1_4_50Hz
SCP 50/220HA	1.50 kW	SCP50_220HA-1,5_4_50Hz
SCP 50/220HA	2.20 kW	SCP50_220HA-2,2_4_50Hz
SCP 50/340DS	11.00 kW	SCP50_340DS-11_4_50Hz
SCP 50/340DS	15.00 kW	SCP50_340DS-15_4_50Hz
SCP 50/340DS	18.50 kW	SCP50_340DS-18,5_4_50Hz
SCP 50/340DS	22.00 kW	SCP50_340DS-22_4_50Hz
SCP 50/340DS	30.00 kW	SCP50_340DS-30_4_50Hz
SCP 50/340DS	5.50 kW	SCP50_340DS-5,5_4_50Hz
SCP 50/340DS	7.50 kW	SCP50_340DS-7,5_4_50Hz
SCP 50/340HA	11.00 kW	SCP50_340HA-11_4_50Hz
SCP 50/340HA	3.00 kW	SCP50_340HA-3_4_50Hz
SCP 50/340HA	4.00 kW	SCP50_340HA-4_4_50Hz
SCP 50/340HA	5.50 kW	SCP50_340HA-5,5_4_50Hz
SCP 50/340HA	7.50 kW	SCP50_340HA-7,5_4_50Hz
SCP 65/390HS	11.00 kW	SCP65_390HS-11_4_50Hz



## Product list: Wilo-SCP

Product description	Rated power $P_2$	Article number
SCP 65/390HS	15.00 kW	SCP65_390HS-15_4_50Hz
SCP 65/390HS	18.50 kW	SCP65_390HS-18,5_4_50Hz
SCP 65/390HS	22.00 kW	SCP65_390HS-22_4_50Hz
SCP 65/390HS	5.50 kW	SCP65_390HS-5,5_4_50Hz
SCP 65/390HS	7.50 kW	SCP65_390HS-7,5_4_50Hz
SCP 80/200HA	11.00 kW	SCP80_200HA-11_2_50Hz
SCP 80/200HA	15.00 kW	SCP80_200HA-15_2_50Hz
SCP 80/200HA	18.50 kW	SCP80_200HA-18,5_2_50Hz
SCP 80/200HA	22.00 kW	SCP80_200HA-22_2_50Hz
SCP 80/230HA	1.50 kW	SCP80_230HA-1,5_4_50Hz
SCP 80/230HA	2.20 kW	SCP80_230HA-2,2_4_50Hz
SCP 80/230HA	3.00 kW	SCP80_230HA-3_4_50Hz
SCP 80/230HA	4.00 kW	SCP80_230HA-4_4_50Hz
SCP 80/230HA	5.50 kW	SCP80_230HA-5,5_4_50Hz
SCP 80/340HA	11.00 kW	SCP80_340HA-11_4_50Hz
SCP 80/340HA	15.00 kW	SCP80_340HA-15_4_50Hz
SCP 80/340HA	18.50 kW	SCP80_340HA-18,5_4_50Hz
SCP 80/340HA	4.00 kW	SCP80_340HA-4_4_50Hz
SCP 80/340HA	5.50 kW	SCP80_340HA-5,5_4_50Hz
SCP 80/340HA	7.50 kW	SCP80_340HA-7,5_4_50Hz
SCP 80/360DS	15.00 kW	SCP80_360DS-15_4_50Hz
SCP 80/360DS	18.50 kW	SCP80_360DS-18,5_4_50Hz
SCP 80/360DS	22.00 kW	SCP80_360DS-22_4_50Hz
SCP 80/360DS	30.00 kW	SCP80_360DS-30_4_50Hz
SCP 80/360DS	37.00 kW	SCP80_360DS-37_4_50Hz
SCP 80/360DS	45.00 kW	SCP80_360DS-45_4_50Hz
SCP 80/380DS	11.00 kW	SCP80_380DS-11_4_50Hz
SCP 80/380DS	15.00 kW	SCP80_380DS-15_4_50Hz
SCP 80/380DS	18.50 kW	SCP80_380DS-18,5_4_50Hz
SCP 80/380DS	22.00 kW	SCP80_380DS-22_4_50Hz
SCP 80/380DS	30.00 kW	SCP80_380DS-30_4_50Hz
SCP 80/380DS	37.00 kW	SCP80_380DS-37_4_50Hz
SCP 80/380DS	7.50 kW	SCP80_380DS-7,5_4_50Hz