


Series description: Wilo-SiBoost Smart (FC) Helix V

Wilo-SiBoost Smart 3 Helix V



Similar to figure

SiBoost Smart



Design type

Highly efficient water-supply unit ready for connection (non self-priming). With 2 to 4 vertically arranged glanded stainless steel high-pressure multistage centrifugal pumps from the Helix V series connected in parallel, including Smart Controller SC (available with and without frequency converter FC).

Application

- Fully automatic water supply and pressure boosting in residential, commercial and public buildings, hotels, hospitals, department stores and for industrial systems.
- Pumping of drinking water and process water, cooling water, fire water (apart from fire-extinguishing systems in accordance with DIN 14462 and with the approval of the local fire safety authorities) or other types of industrial water that do not attack the materials either chemically or mechanically and do not contain abrasive or long-fibre constituents.

Equipment/function

- 2-4 pumps per system of the Helix V 4 to Helix V 52 series with IE2 standard motor, including 7.5 kW and larger IE3 standard motor (optional for smaller motor power)
- Automatic pump control via Smart Controller SC The Smart FC version is additionally equipped with a frequency converter in the switchbox
- Parts that come in contact with the fluid are corrosion-resistant
- Base frame made of galvanised steel, with height-adjustable vibration absorbers for insulation against structure-borne noise, cable guidance and an integrated lifting device
- Shut-off valve on the suction and pressure sides of each pump
- Non-return valve on the pressure side of each pump
- Diaphragm pressure vessel 8 l, PN16, pressure side
- Pressure sensor, pressure side
- Pressure gauge, pressure side
- Optional low-water cut-out switchgear with pressure gauge, suction side

Scope of delivery

- Factory-mounted, connection-ready pressure boosting system checked for functionality and impermeability
- Packaging
- Installation and operating instructions

Type key

Example:
SiBoost

**Smart
FC**

**4
Helix V
10
06**

Wilo-SiBoost-Smart FC 4Helix V 1006
System for pressure boosting in the commercial area
Smart Controller SC control device
Control of the respective base-load pump by frequency converters
Number of pumps
Pump series
Nominal flow rate [m³/h] of single pump
Number of single-pump stages

Special features/product advantages

- Heavy-duty system in accordance with DIN 1988 (EN 806)
- 2 to 4 vertical Helix V series stainless steel high-pressure multistage centrifugal pumps switched in parallel
- High-efficiency pump hydraulics
- Pressure-loss optimised entire system
- Control device SC, communication-capable for the monitoring of the system, LC display, simple navigation and adjustment via rotary knob without or with frequency converter for stepless control of the base-load pump

Series description: Wilo-SiBoost Smart (FC) Helix V

Technical data

- Mains connection 3~230 V/400 V \pm 10%, 50 Hz
- Max. fluid temperature 50 °C (70 °C optional)
- Max. ambient temperature of 40 °C
- Operating pressure 16 bar (25 bar optional)
- Inlet pressure 10 bar
- Nominal connection diameters on discharge side R 1½ - DN 200
- Nominal connection diameter on the intake side R 1½" - DN 200
- Rated speed 2850 rpm
- Protection class IP 54 (SC control device)
- Fuse protection on mains side A, AC 3 according to motor power and EVU regulations
- Approved fluids (other fluids on request): Note on fluids: Approved fluids are generally waters which do not attack the materials used, neither chemically nor mechanically, and do not contain any abrasive or long-fibre constituents. System in accordance with DIN 1988 (EN 806)
 - Drinking water and domestic hot water
 - Cooling water
 - Fire water

Materials

Helix V 4 to Helix V 16

- Impellers, guide vanes, stage housing made of stainless steel 1.4307
- Pump housing of stainless steel 1.4301
- Shaft of stainless steel 1.4057
- 1.4404 shaft protection sleeve
- O-Ring gaskets made of EPDM (FKM gasket on request)
- Pipework made of 1.4301 stainless steel

Helix V 22 to Helix V 52

- Impellers, guide vanes, stage housing made of stainless steel 1.4307
- Pump housing made of cathodically coated EN-GJL 250 grey cast iron
- Shaft of stainless steel 1.4057
- 1.4404 shaft protection sleeve
- O-Ring gaskets made of EPDM (FKM gasket on request)
- Pipework made of 1.4301 stainless steel

Description/construction

- Base frame: galvanised steel, with height-adjustable vibration absorbers for comprehensive insulation against structure-borne noise; other versions on request
- Pipework: complete pipework made of stainless steel, suitable for the connection of all conventional piping materials; the pipework is dimensioned according to the overall hydraulic performance of the pressure boosting system
- Pumps: 2 to 4 pumps switched in parallel of the Helix V 4 to Helix V 52 series; all pump parts that come in contact with the fluid are made of stainless steel for the Helix VE 4 to VE 16 series or of stainless steel/grey cast iron with cathodically coated for the Helix VE 22 to Helix VE 52 series; other versions on request. KTW/WRAS/ACS approval for parts that come in contact with the fluid
- Valves: Each pump is fitted on the suction and pressure side with a standard shut-off device with DVGW approval mark and on the pressure side with a DVGW/KTW-approved non-return valve.
- Diaphragm pressure vessel: 8 l/PN 16 arranged on the discharge side with a diaphragm made of butyl rubber, with DVGW/KTW approval, completely safe in accordance with food safety laws; for testing and inspection purposes, with a shut-off ball cock with drain and throughflow fitting with DVGW/KTW approval in accordance with DIN 4807
- Pressure sensor: 4 to 20 mA, located on the discharge side for controlling the central Smart Controller SC
- Pressure indication: Pressure gauge (\varnothing 63 mm) arranged on the discharge side; additional digital indication of the discharge pressure in the alphanumeric LC display of the Smart Controller SC
- Control device/controller: The system is equipped with a "Smart Controller" SC as standard; FC versions also equipped with a frequency converter

Product list: Wilo-SiBoost Smart (FC) Helix V

Product description	System output without standby pump <i>Q</i>	Gross weight, approx. <i>m</i>	Maximum operating pressure <i>PN</i>	Number of standby pumps	Article number
SiBoost Smart FC 2 HELIX V603	10.0 m ³ /h	186.0 kg	16 bar	-	2536033
SiBoost Smart FC 2 HELIX V604	10.0 m ³ /h	192.0 kg	16 bar	-	2536034
SiBoost Smart FC 2 HELIX V605	10.0 m ³ /h	197.0 kg	16 bar	-	2536035
SiBoost Smart FC 2 HELIX V606	10.0 m ³ /h	199.0 kg	16 bar	-	2536036
SiBoost Smart FC 2 HELIX V607	10.0 m ³ /h	210.0 kg	16 bar	-	2536037
SiBoost Smart FC 2 HELIX V608	10.0 m ³ /h	212.0 kg	16 bar	-	2536038
SiBoost Smart FC 2 HELIX V609	10.0 m ³ /h	218.0 kg	16 bar	-	2536039
SiBoost Smart FC 2 HELIX V610	10.0 m ³ /h	220.0 kg	16 bar	-	2536040
SiBoost Smart FC 2 HELIX V611	10.0 m ³ /h	222.0 kg	16 bar	-	2536041
SiBoost Smart FC 2 HELIX V612	10.0 m ³ /h	230.0 kg	16 bar	-	2536042
SiBoost Smart FC 2 HELIX V613	10.0 m ³ /h	232.0 kg	16 bar	-	2536043
SiBoost Smart FC 2 HELIX V614	10.0 m ³ /h	234.0 kg	16 bar	-	2536044
SiBoost Smart FC 2 HELIX V615	10.0 m ³ /h	236.0 kg	16 bar	-	2536045
SiBoost Smart FC 2 HELIX V616	10.0 m ³ /h	259.0 kg	16 bar	-	2536046
SiBoost Smart FC 2 HELIX V1002	16.0 m ³ /h	200.0 kg	16 bar	-	2536114
SiBoost Smart FC 2 HELIX V1003	16.0 m ³ /h	205.0 kg	16 bar	-	2536115
SiBoost Smart FC 2 HELIX V1004	16.0 m ³ /h	218.0 kg	16 bar	-	2536116
SiBoost Smart FC 2 HELIX V1005	16.0 m ³ /h	224.0 kg	16 bar	-	2536117
SiBoost Smart FC 2 HELIX V1006	16.0 m ³ /h	226.0 kg	16 bar	-	2536118
SiBoost Smart FC 2 HELIX V1007	16.0 m ³ /h	234.0 kg	16 bar	-	2536119
SiBoost Smart FC 2 HELIX V1008	16.0 m ³ /h	236.0 kg	16 bar	-	2536120
SiBoost Smart FC 2 HELIX V1009	16.0 m ³ /h	261.0 kg	16 bar	-	2536121
SiBoost Smart FC 2 HELIX V1010	16.0 m ³ /h	263.0 kg	16 bar	-	2536122

Product list: Wilo-SiBoost Smart (FC) Helix V

Product description	System output without standby pump <i>Q</i>	Gross weight, approx. <i>m</i>	Maximum operating pressure <i>PN</i>	Number of standby pumps	Article number
SiBoost Smart FC 2 HELIX V1011	16.0 m ³ /h	265.0 kg	16 bar	-	2536123
SiBoost Smart FC 2 HELIX V1012	16.0 m ³ /h	398.0 kg	16 bar	-	2536124
SiBoost Smart FC 2 HELIX V1013	16.0 m ³ /h	400.0 kg	16 bar	-	2536125
SiBoost Smart FC 2 HELIX V1015	16.0 m ³ /h	404.0 kg	16 bar	-	2536126
SiBoost Smart FC 2 HELIX V1603	26.0 m ³ /h	232.0 kg	16 bar	-	2536180
SiBoost Smart FC 2 HELIX V1604	26.0 m ³ /h	242.0 kg	16 bar	-	2536181
SiBoost Smart FC 2 HELIX V1605	26.0 m ³ /h	265.0 kg	16 bar	-	2536182
SiBoost Smart FC 2 HELIX V1606	26.0 m ³ /h	267.0 kg	16 bar	-	2536183
SiBoost Smart FC 2 HELIX V1607	26.0 m ³ /h	412.0 kg	16 bar	-	2536184
SiBoost Smart FC 2 HELIX V1608	26.0 m ³ /h	416.0 kg	16 bar	-	2536185
SiBoost Smart FC 2 HELIX V1609	26.0 m ³ /h	444.0 kg	16 bar	-	2536186
SiBoost Smart FC 2 HELIX V1610	26.0 m ³ /h	448.0 kg	16 bar	-	2536187
SiBoost Smart FC 2 HELIX V1611	26.0 m ³ /h	450.0 kg	16 bar	-	2536188
SiBoost Smart FC 2 HELIX V403	7.0 m ³ /h	181.0 kg	16 bar	-	2537580
SiBoost Smart FC 2 HELIX V404	7.0 m ³ /h	183.0 kg	16 bar	-	2537581
SiBoost Smart FC 2 HELIX V406	7.0 m ³ /h	189.0 kg	16 bar	1	2537582
SiBoost Smart FC 2 HELIX V407	7.0 m ³ /h	194.0 kg	16 bar	-	2537583
SiBoost Smart FC 2 HELIX V409	7.0 m ³ /h	196.0 kg	16 bar	-	2537584
SiBoost Smart FC 2 HELIX V410	7.0 m ³ /h	207.0 kg	16 bar	-	2537585
SiBoost Smart FC 2 HELIX V412	7.0 m ³ /h	209.0 kg	16 bar	-	2537586
SiBoost Smart FC 2 HELIX V414	7.0 m ³ /h	217.0 kg	16 bar	-	2537587
SiBoost Smart FC 2 HELIX V416	7.0 m ³ /h	219.0 kg	16 bar	-	2537588
SiBoost Smart FC 2 HELIX V418	7.0 m ³ /h	221.0 kg	16 bar	-	2537589

Product list: Wilo-SiBoost Smart (FC) Helix V

Product description	System output without standby pump <i>Q</i>	Gross weight, approx. <i>m</i>	Maximum operating pressure <i>PN</i>	Number of standby pumps	Article number
SiBoost Smart FC 2 HELIX V2202-ES	34.0 m ³ /h	325.0 kg	16 bar	1	2547393
SiBoost Smart FC 2 HELIX V2203-ES	34.0 m ³ /h	337.0 kg	16 bar	1	2547394
SiBoost Smart FC 2 HELIX V2204-ES	34.0 m ³ /h	466.0 kg	16 bar	1	2547395
SiBoost Smart FC 2 HELIX V2205-ES	34.0 m ³ /h	525.0 kg	16 bar	1	2547396
SiBoost Smart FC 2 HELIX V2206-ES	34.0 m ³ /h	529.0 kg	16 bar	1	2547397
SiBoost Smart FC 2 HELIX V2207-ES	34.0 m ³ /h	573.0 kg	16 bar	1	2547398
SiBoost Smart FC 2 HELIX V2208-ES	34.0 m ³ /h	583.0 kg	16 bar	1	2547399
SiBoost Smart FC 2 HELIX V3602/2-ES	55.0 m ³ /h	378.0 kg	16 bar	1	2547444
SiBoost Smart FC 2 HELIX V3602-ES	55.0 m ³ /h	511.0 kg	16 bar	1	2547445
SiBoost Smart FC 2 HELIX V3603/1-ES	55.0 m ³ /h	552.0 kg	16 bar	1	2547446
SiBoost Smart FC 2 HELIX V3603-ES	55.0 m ³ /h	622.0 kg	16 bar	1	2547447
SiBoost Smart FC 2 HELIX V3604/2-ES	55.0 m ³ /h	634.0 kg	16 bar	1	2547448
SiBoost Smart FC 2 HELIX V3604-ES	55.0 m ³ /h	634.0 kg	16 bar	1	2547449
SiBoost Smart FC 2 HELIX V3605/2-ES	55.0 m ³ /h	781.0 kg	16 bar	1	2547450
SiBoost Smart FC 2 HELIX V3605-ES	55.0 m ³ /h	781.0 kg	16 bar	1	2547451
SiBoost Smart FC 2 HELIX V3606/2-ES	55.0 m ³ /h	785.0 kg	16 bar	1	2547452
SiBoost Smart FC 2 HELIX V3606-ES	55.0 m ³ /h	813.0 kg	16 bar	1	2547453
SiBoost Smart FC 2 HELIX V5202/2-ES	80.0 m ³ /h	584.0 kg	16 bar	1	2547501
SiBoost Smart FC 2 HELIX V5202-ES	80.0 m ³ /h	647.0 kg	16 bar	1	2547502
SiBoost Smart FC 2 HELIX V5203/2-ES	80.0 m ³ /h	697.0 kg	16 bar	1	2547503
SiBoost Smart FC 2 HELIX V5203-ES	80.0 m ³ /h	697.0 kg	16 bar	1	2547504
SiBoost Smart FC 2 HELIX V5204/2-ES	80.0 m ³ /h	830.0 kg	16 bar	1	2547505
SiBoost Smart FC 2 HELIX V5204-ES	80.0 m ³ /h	830.0 kg	16 bar	1	2547506

Product list: Wilo-SiBoost Smart (FC) Helix V

Product description	System output without standby pump <i>Q</i>	Gross weight, approx. <i>m</i>	Maximum operating pressure <i>PN</i>	Number of standby pumps	Article number
SiBoost Smart FC 2 HELIX V5205/2-ES	80.0 m ³ /h	864.0 kg	16 bar	1	2547507
SiBoost Smart FC 2 HELIX V5205-ES	80.0 m ³ /h	864.0 kg	16 bar	1	2547508
SiBoost Smart FC 2 HELIX V5206/2-ES	80.0 m ³ /h	868.0 kg	16 bar	1	2547509
SiBoost Smart 2 HELIX V603	10.0 m ³ /h	155.0 kg	16 bar	-	2535991
SiBoost Smart 2 HELIX V604	10.0 m ³ /h	161.0 kg	16 bar	-	2535992
SiBoost Smart 2 HELIX V605	10.0 m ³ /h	166.0 kg	16 bar	-	2535993
SiBoost Smart 2 HELIX V606	10.0 m ³ /h	168.0 kg	16 bar	-	2535994
SiBoost Smart 2 HELIX V607	10.0 m ³ /h	178.0 kg	16 bar	-	2535995
SiBoost Smart 2 HELIX V608	10.0 m ³ /h	180.0 kg	16 bar	-	2535996
SiBoost Smart 2 HELIX V609	10.0 m ³ /h	186.0 kg	16 bar	-	2535997
SiBoost Smart 2 HELIX V610	10.0 m ³ /h	188.0 kg	16 bar	-	2535998
SiBoost Smart 2 HELIX V611	10.0 m ³ /h	190.0 kg	16 bar	-	2535999
SiBoost Smart 2 HELIX V612	10.0 m ³ /h	198.0 kg	16 bar	-	2536000
SiBoost Smart 2 HELIX V613	10.0 m ³ /h	200.0 kg	16 bar	-	2536001
SiBoost Smart 2 HELIX V614	10.0 m ³ /h	202.0 kg	16 bar	-	2536002
SiBoost Smart 2 HELIX V615	10.0 m ³ /h	204.0 kg	16 bar	-	2536003
SiBoost Smart 2 HELIX V616	10.0 m ³ /h	227.0 kg	16 bar	-	2536004
SiBoost Smart 2 HELIX V1002	16.0 m ³ /h	170.0 kg	16 bar	-	2536075
SiBoost Smart 2 HELIX V1003	16.0 m ³ /h	175.0 kg	16 bar	-	2536076
SiBoost Smart 2 HELIX V1004	16.0 m ³ /h	187.0 kg	16 bar	-	2536077
SiBoost Smart 2 HELIX V1005	16.0 m ³ /h	193.0 kg	16 bar	-	2536078
SiBoost Smart 2 HELIX V1006	16.0 m ³ /h	195.0 kg	16 bar	-	2536079
SiBoost Smart 2 HELIX V1007	16.0 m ³ /h	203.0 kg	16 bar	-	2536080

Product list: Wilo-SiBoost Smart (FC) Helix V

Product description	System output without standby pump <i>Q</i>	Gross weight, approx. <i>m</i>	Maximum operating pressure <i>PN</i>	Number of standby pumps	Article number
SiBoost Smart 2 HELIX V1008	16.0 m ³ /h	205.0 kg	16 bar	-	2536081
SiBoost Smart 2 HELIX V1009	16.0 m ³ /h	230.0 kg	16 bar	-	2536082
SiBoost Smart 2 HELIX V1010	16.0 m ³ /h	232.0 kg	16 bar	-	2536083
SiBoost Smart 2 HELIX V1011	16.0 m ³ /h	234.0 kg	16 bar	-	2536084
SiBoost Smart 2 HELIX V1012	16.0 m ³ /h	281.0 kg	16 bar	-	2536085
SiBoost Smart 2 HELIX V1013	16.0 m ³ /h	283.0 kg	16 bar	-	2536086
SiBoost Smart 2 HELIX V1015	16.0 m ³ /h	287.0 kg	16 bar	-	2536087
SiBoost Smart 2 HELIX V1603	26.0 m ³ /h	201.0 kg	16 bar	-	2536153
SiBoost Smart 2 HELIX V1604	26.0 m ³ /h	211.0 kg	16 bar	-	2536154
SiBoost Smart 2 HELIX V1605	26.0 m ³ /h	185.0 kg	16 bar	-	2536155
SiBoost Smart 2 HELIX V1606	26.0 m ³ /h	236.0 kg	16 bar	-	2536156
SiBoost Smart 2 HELIX V1607	26.0 m ³ /h	307.0 kg	16 bar	-	2536157
SiBoost Smart 2 HELIX V1608	26.0 m ³ /h	245.0 kg	16 bar	-	2536158
SiBoost Smart 2 HELIX V1609	26.0 m ³ /h	325.0 kg	16 bar	-	2536159
SiBoost Smart 2 HELIX V1610	26.0 m ³ /h	300.0 kg	16 bar	-	2536160
SiBoost Smart 2 HELIX V1611	26.0 m ³ /h	331.0 kg	16 bar	-	2536161
SiBoost Smart 2 HELIX V403	7.0 m ³ /h	151.0 kg	16 bar	1	2537550
SiBoost Smart 2 HELIX V404	7.0 m ³ /h	153.0 kg	16 bar	-	2537551
SiBoost Smart 2 HELIX V406	7.0 m ³ /h	159.0 kg	16 bar	-	2537552
SiBoost Smart 2 HELIX V407	7.0 m ³ /h	164.0 kg	16 bar	1	2537553
SiBoost Smart 2 HELIX V409	7.0 m ³ /h	166.0 kg	16 bar	1	2537554
SiBoost Smart 2 HELIX V410	7.0 m ³ /h	176.0 kg	16 bar	-	2537555
SiBoost Smart 2 HELIX V412	7.0 m ³ /h	178.0 kg	16 bar	-	2537556

Product list: Wilo-SiBoost Smart (FC) Helix V

Product description	System output without standby pump <i>Q</i>	Gross weight, approx. <i>m</i>	Maximum operating pressure <i>PN</i>	Number of standby pumps	Article number
SiBoost Smart 2 HELIX V414	7.0 m ³ /h	186.0 kg	16 bar	1	2537557
SiBoost Smart 2 HELIX V416	7.0 m ³ /h	188.0 kg	16 bar	1	2537558
SiBoost Smart 2 HELIX V418	7.0 m ³ /h	190.0 kg	16 bar	-	2537559
SiBoost Smart 2 HELIX V2202-ES	34.0 m ³ /h	295.0 kg	16 bar	1	2547372
SiBoost Smart 2 HELIX V2203-ES	34.0 m ³ /h	305.0 kg	16 bar	1	2547373
SiBoost Smart 2 HELIX V2204-ES	34.0 m ³ /h	344.0 kg	16 bar	1	2547374
SiBoost Smart 2 HELIX V2205-ES	34.0 m ³ /h	402.0 kg	16 bar	1	2547375
SiBoost Smart 2 HELIX V2206-ES	34.0 m ³ /h	406.0 kg	16 bar	1	2547376
SiBoost Smart 2 HELIX V2207-ES	34.0 m ³ /h	411.0 kg	16 bar	1	2547377
SiBoost Smart 2 HELIX V2208-ES	34.0 m ³ /h	421.0 kg	16 bar	1	2547378
SiBoost Smart 2 HELIX V3602/2-ES	55.0 m ³ /h	346.0 kg	16 bar	1	2547414
SiBoost Smart 2 HELIX V3602-ES	55.0 m ³ /h	389.0 kg	16 bar	1	2547415
SiBoost Smart 2 HELIX V3603/1-ES	55.0 m ³ /h	429.0 kg	16 bar	1	2547416
SiBoost Smart 2 HELIX V3603-ES	55.0 m ³ /h	460.0 kg	16 bar	1	2547417
SiBoost Smart 2 HELIX V3604/2-ES	55.0 m ³ /h	472.0 kg	16 bar	1	2547418
SiBoost Smart 2 HELIX V3604-ES	55.0 m ³ /h	472.0 kg	16 bar	1	2547419
SiBoost Smart 2 HELIX V3605/2-ES	55.0 m ³ /h	597.0 kg	16 bar	1	2547420
SiBoost Smart 2 HELIX V3605-ES	55.0 m ³ /h	597.0 kg	16 bar	1	2547421
SiBoost Smart 2 HELIX V3606/2-ES	55.0 m ³ /h	601.0 kg	16 bar	1	2547422
SiBoost Smart 2 HELIX V3606-ES	55.0 m ³ /h	624.0 kg	16 bar	1	2547423
SiBoost Smart 2 HELIX V5202/2-ES	80.0 m ³ /h	460.0 kg	16 bar	1	2547474
SiBoost Smart 2 HELIX V5202-ES	80.0 m ³ /h	522.0 kg	16 bar	1	2547475
SiBoost Smart 2 HELIX V5203/2-ES	80.0 m ³ /h	533.0 kg	16 bar	1	2547476

Product list: Wilo-SiBoost Smart (FC) Helix V

Product description	System output without standby pump <i>Q</i>	Gross weight, approx. <i>m</i>	Maximum operating pressure <i>PN</i>	Number of standby pumps	Article number
SiBoost Smart 2 HELIX V5203-ES	80.0 m ³ /h	533.0 kg	16 bar	1	2547477
SiBoost Smart 2 HELIX V5204/2-ES	80.0 m ³ /h	664.0 kg	16 bar	1	2547478
SiBoost Smart 2 HELIX V5204-ES	80.0 m ³ /h	664.0 kg	16 bar	1	2547479
SiBoost Smart 2 HELIX V5205/2-ES	80.0 m ³ /h	693.0 kg	16 bar	1	2547480
SiBoost Smart 2 HELIX V5205-ES	80.0 m ³ /h	693.0 kg	16 bar	1	2547481
SiBoost Smart 2 HELIX V5206/2-ES	80.0 m ³ /h	697.0 kg	16 bar	1	2547482
SiBoost Smart FC 3 HELIX V603	20.0 m ³ /h	228.0 kg	16 bar	-	2536047
SiBoost Smart FC 3 HELIX V604	20.0 m ³ /h	237.0 kg	16 bar	-	2536048
SiBoost Smart FC 3 HELIX V605	20.0 m ³ /h	244.0 kg	16 bar	-	2536049
SiBoost Smart FC 3 HELIX V606	20.0 m ³ /h	247.0 kg	16 bar	-	2536050
SiBoost Smart FC 3 HELIX V607	20.0 m ³ /h	263.0 kg	16 bar	-	2536051
SiBoost Smart FC 3 HELIX V608	20.0 m ³ /h	266.0 kg	16 bar	-	2536052
SiBoost Smart FC 3 HELIX V609	20.0 m ³ /h	275.0 kg	16 bar	-	2536053
SiBoost Smart FC 3 HELIX V610	20.0 m ³ /h	278.0 kg	16 bar	-	2536054
SiBoost Smart FC 3 HELIX V611	20.0 m ³ /h	281.0 kg	16 bar	-	2536055
SiBoost Smart FC 3 HELIX V612	20.0 m ³ /h	293.0 kg	16 bar	-	2536056
SiBoost Smart FC 3 HELIX V613	20.0 m ³ /h	296.0 kg	16 bar	-	2536057
SiBoost Smart FC 3 HELIX V614	20.0 m ³ /h	299.0 kg	16 bar	-	2536058
SiBoost Smart FC 3 HELIX V615	20.0 m ³ /h	302.0 kg	16 bar	-	2536059
SiBoost Smart FC 3 HELIX V616	20.0 m ³ /h	336.0 kg	16 bar	-	2536060
SiBoost Smart FC 3 HELIX V1002	32.0 m ³ /h	248.0 kg	16 bar	-	2536127
SiBoost Smart FC 3 HELIX V1003	32.0 m ³ /h	255.0 kg	16 bar	-	2536128
SiBoost Smart FC 3 HELIX V1004	32.0 m ³ /h	274.0 kg	16 bar	-	2536129

Product list: Wilo-SiBoost Smart (FC) Helix V

Product description	System output without standby pump <i>Q</i>	Gross weight, approx. <i>m</i>	Maximum operating pressure <i>PN</i>	Number of standby pumps	Article number
SiBoost Smart FC 3 HELIX V1005	32.0 m ³ /h	283.0 kg	16 bar	-	2536130
SiBoost Smart FC 3 HELIX V1006	32.0 m ³ /h	286.0 kg	16 bar	-	2536131
SiBoost Smart FC 3 HELIX V1007	32.0 m ³ /h	298.0 kg	16 bar	-	2536132
SiBoost Smart FC 3 HELIX V1008	32.0 m ³ /h	301.0 kg	16 bar	-	2536133
SiBoost Smart FC 3 HELIX V1009	32.0 m ³ /h	338.0 kg	16 bar	-	2536134
SiBoost Smart FC 3 HELIX V1010	32.0 m ³ /h	341.0 kg	16 bar	-	2536135
SiBoost Smart FC 3 HELIX V1011	32.0 m ³ /h	344.0 kg	16 bar	-	2536136
SiBoost Smart FC 3 HELIX V1012	32.0 m ³ /h	483.0 kg	16 bar	-	2536137
SiBoost Smart FC 3 HELIX V1013	32.0 m ³ /h	486.0 kg	16 bar	-	2536138
SiBoost Smart FC 3 HELIX V1015	32.0 m ³ /h	492.0 kg	16 bar	-	2536139
SiBoost Smart FC 3 HELIX V1603	52.0 m ³ /h	297.0 kg	16 bar	-	2536189
SiBoost Smart FC 3 HELIX V1604	52.0 m ³ /h	312.0 kg	16 bar	-	2536190
SiBoost Smart FC 3 HELIX V1605	52.0 m ³ /h	346.0 kg	16 bar	-	2536191
SiBoost Smart FC 3 HELIX V1606	52.0 m ³ /h	349.0 kg	16 bar	-	2536192
SiBoost Smart FC 3 HELIX V1607	52.0 m ³ /h	513.0 kg	16 bar	-	2536193
SiBoost Smart FC 3 HELIX V1608	52.0 m ³ /h	519.0 kg	16 bar	-	2536194
SiBoost Smart FC 3 HELIX V1609	52.0 m ³ /h	541.0 kg	16 bar	-	2536195
SiBoost Smart FC 3 HELIX V1610	52.0 m ³ /h	547.0 kg	16 bar	-	2536196
SiBoost Smart FC 3 HELIX V1611	52.0 m ³ /h	550.0 kg	16 bar	-	2536197
SiBoost Smart FC 3 HELIX V403	14.0 m ³ /h	220.0 kg	16 bar	-	2537590
SiBoost Smart FC 3 HELIX V404	14.0 m ³ /h	223.0 kg	16 bar	-	2537591
SiBoost Smart FC 3 HELIX V406	14.0 m ³ /h	232.0 kg	16 bar	-	2537592
SiBoost Smart FC 3 HELIX V407	14.0 m ³ /h	239.0 kg	16 bar	-	2537593

Product list: Wilo-SiBoost Smart (FC) Helix V

Product description	System output without standby pump <i>Q</i>	Gross weight, approx. <i>m</i>	Maximum operating pressure <i>PN</i>	Number of standby pumps	Article number
SiBoost Smart FC 3 HELIX V409	14.0 m ³ /h	242.0 kg	16 bar	-	2537594
SiBoost Smart FC 3 HELIX V410	14.0 m ³ /h	258.0 kg	16 bar	-	2537595
SiBoost Smart FC 3 HELIX V412	14.0 m ³ /h	261.0 kg	16 bar	-	2537596
SiBoost Smart FC 3 HELIX V414	14.0 m ³ /h	273.0 kg	16 bar	-	2537597
SiBoost Smart FC 3 HELIX V416	14.0 m ³ /h	276.0 kg	16 bar	-	2537598
SiBoost Smart FC 3 HELIX V418	14.0 m ³ /h	279.0 kg	16 bar	-	2537599
SiBoost Smart FC 3 HELIX V2202-ES	68.0 m ³ /h	469.0 kg	16 bar	1	2547400
SiBoost Smart FC 3 HELIX V2203-ES	68.0 m ³ /h	485.0 kg	16 bar	1	2547401
SiBoost Smart FC 3 HELIX V2204-ES	68.0 m ³ /h	645.0 kg	16 bar	1	2547402
SiBoost Smart FC 3 HELIX V2205-ES	68.0 m ³ /h	732.0 kg	16 bar	1	2547403
SiBoost Smart FC 3 HELIX V2206-ES	68.0 m ³ /h	738.0 kg	16 bar	1	2547404
SiBoost Smart FC 3 HELIX V2207-ES	68.0 m ³ /h	790.0 kg	16 bar	1	2547405
SiBoost Smart FC 3 HELIX V2208-ES	68.0 m ³ /h	805.0 kg	16 bar	1	2547406
SiBoost Smart FC 3 HELIX V3602/2-ES	110.0 m ³ /h	542.0 kg	16 bar	1	2547454
SiBoost Smart FC 3 HELIX V3602-ES	110.0 m ³ /h	707.0 kg	16 bar	1	2547455
SiBoost Smart FC 3 HELIX V3603/1-ES	110.0 m ³ /h	768.0 kg	16 bar	1	2547456
SiBoost Smart FC 3 HELIX V3603-ES	110.0 m ³ /h	859.0 kg	16 bar	1	2547457
SiBoost Smart FC 3 HELIX V3604/2-ES	110.0 m ³ /h	877.0 kg	16 bar	1	2547458
SiBoost Smart FC 3 HELIX V3604-ES	110.0 m ³ /h	877.0 kg	16 bar	1	2547459
SiBoost Smart FC 3 HELIX V3605/2-ES	110.0 m ³ /h	1056.0 kg	16 bar	1	2547460
SiBoost Smart FC 3 HELIX V3605-ES	110.0 m ³ /h	1056.0 kg	16 bar	1	2547461
SiBoost Smart FC 3 HELIX V3606/2-ES	110.0 m ³ /h	1062.0 kg	16 bar	1	2547462
SiBoost Smart FC 3 HELIX V3606-ES	110.0 m ³ /h	1101.0 kg	16 bar	1	2547463

Product list: Wilo-SiBoost Smart (FC) Helix V

Product description	System output without standby pump <i>Q</i>	Gross weight, approx. <i>m</i>	Maximum operating pressure <i>PN</i>	Number of standby pumps	Article number
SiBoost Smart FC 3 HELIX V5202/2-ES	160.0 m ³ /h	781.0 kg	16 bar	1	2547510
SiBoost Smart FC 3 HELIX V5202-ES	160.0 m ³ /h	874.0 kg	16 bar	1	2547511
SiBoost Smart FC 3 HELIX V5203/2-ES	160.0 m ³ /h	935.0 kg	16 bar	1	2547512
SiBoost Smart FC 3 HELIX V5203-ES	160.0 m ³ /h	935.0 kg	16 bar	1	2547513
SiBoost Smart FC 3 HELIX V5204/2-ES	160.0 m ³ /h	1134.0 kg	16 bar	1	2547514
SiBoost Smart FC 3 HELIX V5204-ES	160.0 m ³ /h	1134.0 kg	16 bar	1	2547515
SiBoost Smart FC 3 HELIX V5205/2-ES	160.0 m ³ /h	1182.0 kg	16 bar	1	2547516
SiBoost Smart FC 3 HELIX V5205-ES	160.0 m ³ /h	1182.0 kg	16 bar	1	2547517
SiBoost Smart FC 3 HELIX V5206/2-ES	160.0 m ³ /h	1188.0 kg	16 bar	1	2547518
SiBoost Smart 3 HELIX V603	20.0 m ³ /h	197.0 kg	16 bar	-	2536005
SiBoost Smart 3 HELIX V604	20.0 m ³ /h	206.0 kg	16 bar	-	2536006
SiBoost Smart 3 HELIX V605	20.0 m ³ /h	213.0 kg	16 bar	-	2536007
SiBoost Smart 3 HELIX V606	20.0 m ³ /h	216.0 kg	16 bar	-	2536008
SiBoost Smart 3 HELIX V607	20.0 m ³ /h	231.0 kg	16 bar	-	2536009
SiBoost Smart 3 HELIX V608	20.0 m ³ /h	234.0 kg	16 bar	-	2536010
SiBoost Smart 3 HELIX V609	20.0 m ³ /h	243.0 kg	16 bar	-	2536011
SiBoost Smart 3 HELIX V610	20.0 m ³ /h	246.0 kg	16 bar	-	2536012
SiBoost Smart 3 HELIX V611	20.0 m ³ /h	249.0 kg	16 bar	-	2536013
SiBoost Smart 3 HELIX V612	20.0 m ³ /h	261.0 kg	16 bar	-	2536014
SiBoost Smart 3 HELIX V613	20.0 m ³ /h	264.0 kg	16 bar	-	2536015
SiBoost Smart 3 HELIX V614	20.0 m ³ /h	267.0 kg	16 bar	-	2536016
SiBoost Smart 3 HELIX V615	20.0 m ³ /h	270.0 kg	16 bar	-	2536017
SiBoost Smart 3 HELIX V616	20.0 m ³ /h	304.0 kg	16 bar	-	2536018

Product list: Wilo-SiBoost Smart (FC) Helix V

Product description	System output without standby pump Q	Gross weight, approx. m	Maximum operating pressure PN	Number of standby pumps	Article number
SiBoost Smart 3 HELIX V1002	32.0 m ³ /h	217.0 kg	16 bar	-	2536088
SiBoost Smart 3 HELIX V1003	32.0 m ³ /h	224.0 kg	16 bar	-	2536089
SiBoost Smart 3 HELIX V1004	32.0 m ³ /h	242.0 kg	16 bar	-	2536090
SiBoost Smart 3 HELIX V1005	32.0 m ³ /h	251.0 kg	16 bar	-	2536091
SiBoost Smart 3 HELIX V1006	32.0 m ³ /h	254.0 kg	16 bar	-	2536092
SiBoost Smart 3 HELIX V1007	32.0 m ³ /h	266.0 kg	16 bar	-	2536093
SiBoost Smart 3 HELIX V1008	32.0 m ³ /h	269.0 kg	16 bar	-	2536094
SiBoost Smart 3 HELIX V1009	32.0 m ³ /h	306.0 kg	16 bar	-	2536095
SiBoost Smart 3 HELIX V1010	32.0 m ³ /h	309.0 kg	16 bar	-	2536096
SiBoost Smart 3 HELIX V1011	32.0 m ³ /h	312.0 kg	16 bar	-	2536097
SiBoost Smart 3 HELIX V1012	32.0 m ³ /h	367.0 kg	16 bar	-	2536098
SiBoost Smart 3 HELIX V1013	32.0 m ³ /h	370.0 kg	16 bar	-	2536099
SiBoost Smart 3 HELIX V1015	32.0 m ³ /h	376.0 kg	16 bar	-	2536100
SiBoost Smart 3 HELIX V1603	52.0 m ³ /h	265.0 kg	16 bar	-	2536162
SiBoost Smart 3 HELIX V1604	52.0 m ³ /h	280.0 kg	16 bar	-	2536163
SiBoost Smart 3 HELIX V1605	52.0 m ³ /h	314.0 kg	16 bar	-	2536164
SiBoost Smart 3 HELIX V1606	52.0 m ³ /h	317.0 kg	16 bar	-	2536165
SiBoost Smart 3 HELIX V1607	52.0 m ³ /h	408.0 kg	16 bar	-	2536166
SiBoost Smart 3 HELIX V1608	52.0 m ³ /h	414.0 kg	16 bar	-	2536167
SiBoost Smart 3 HELIX V1609	52.0 m ³ /h	436.0 kg	16 bar	-	2536168
SiBoost Smart 3 HELIX V1610	52.0 m ³ /h	442.0 kg	16 bar	-	2536169
SiBoost Smart 3 HELIX V1611	52.0 m ³ /h	445.0 kg	16 bar	-	2536170
SiBoost Smart 3 HELIX V403	14.0 m ³ /h	189.0 kg	16 bar	1	2537560

Product list: Wilo-SiBoost Smart (FC) Helix V

Product description	System output without standby pump Q	Gross weight, approx. m	Maximum operating pressure PN	Number of standby pumps	Article number
SiBoost Smart 3 HELIX V404	14.0 m ³ /h	192.0 kg	16 bar	-	2537561
SiBoost Smart 3 HELIX V406	14.0 m ³ /h	201.0 kg	16 bar	-	2537562
SiBoost Smart 3 HELIX V407	14.0 m ³ /h	208.0 kg	16 bar	-	2537563
SiBoost Smart 3 HELIX V409	14.0 m ³ /h	211.0 kg	16 bar	-	2537564
SiBoost Smart 3 HELIX V410	14.0 m ³ /h	226.0 kg	16 bar	-	2537565
SiBoost Smart 3 HELIX V412	14.0 m ³ /h	229.0 kg	16 bar	-	2537566
SiBoost Smart 3 HELIX V414	14.0 m ³ /h	241.0 kg	16 bar	-	2537567
SiBoost Smart 3 HELIX V416	14.0 m ³ /h	244.0 kg	16 bar	-	2537568
SiBoost Smart 3 HELIX V418	14.0 m ³ /h	247.0 kg	16 bar	-	2537569
SiBoost Smart 3 HELIX V2202-ES	68.0 m ³ /h	436.0 kg	16 bar	1	2547379
SiBoost Smart 3 HELIX V2203-ES	68.0 m ³ /h	452.0 kg	16 bar	1	2547380
SiBoost Smart 3 HELIX V2204-ES	68.0 m ³ /h	499.0 kg	16 bar	1	2547381
SiBoost Smart 3 HELIX V2205-ES	68.0 m ³ /h	586.0 kg	16 bar	1	2547382
SiBoost Smart 3 HELIX V2206-ES	68.0 m ³ /h	592.0 kg	16 bar	1	2547383
SiBoost Smart 3 HELIX V2207-ES	68.0 m ³ /h	599.0 kg	16 bar	1	2547384
SiBoost Smart 3 HELIX V2208-ES	68.0 m ³ /h	614.0 kg	16 bar	1	2547385
SiBoost Smart 3 HELIX V3602/2-ES	110.0 m ³ /h	508.0 kg	16 bar	1	2547424
SiBoost Smart 3 HELIX V3602-ES	110.0 m ³ /h	561.0 kg	16 bar	1	2547425
SiBoost Smart 3 HELIX V3603/1-ES	110.0 m ³ /h	621.0 kg	16 bar	1	2547426
SiBoost Smart 3 HELIX V3603-ES	110.0 m ³ /h	667.0 kg	16 bar	1	2547427
SiBoost Smart 3 HELIX V3604/2-ES	110.0 m ³ /h	685.0 kg	16 bar	1	2547428
SiBoost Smart 3 HELIX V3604-ES	110.0 m ³ /h	685.0 kg	16 bar	1	2547429
SiBoost Smart 3 HELIX V3605/2-ES	110.0 m ³ /h	961.0 kg	16 bar	1	2547430

Product list: Wilo-SiBoost Smart (FC) Helix V

Product description	System output without standby pump Q	Gross weight, approx. m	Maximum operating pressure PN	Number of standby pumps	Article number
SiBoost Smart 3 HELIX V3605-ES	110.0 m ³ /h	961.0 kg	16 bar	1	2547431
SiBoost Smart 3 HELIX V3606/2-ES	110.0 m ³ /h	967.0 kg	16 bar	1	2547432
SiBoost Smart 3 HELIX V3606-ES	110.0 m ³ /h	1001.0 kg	16 bar	1	2547433
SiBoost Smart 3 HELIX V5202/2-ES	160.0 m ³ /h	660.0 kg	16 bar	1	2547483
SiBoost Smart 3 HELIX V5202-ES	160.0 m ³ /h	753.0 kg	16 bar	1	2547484
SiBoost Smart 3 HELIX V5203/2-ES	160.0 m ³ /h	769.0 kg	16 bar	1	2547485
SiBoost Smart 3 HELIX V5203-ES	160.0 m ³ /h	769.0 kg	16 bar	1	2547486
SiBoost Smart 3 HELIX V5204/2-ES	160.0 m ³ /h	1040.0 kg	16 bar	1	2547487
SiBoost Smart 3 HELIX V5204-ES	160.0 m ³ /h	1040.0 kg	16 bar	1	2547488
SiBoost Smart 3 HELIX V5205/2-ES	160.0 m ³ /h	1083.0 kg	16 bar	1	2547489
SiBoost Smart 3 HELIX V5205-ES	160.0 m ³ /h	1083.0 kg	16 bar	1	2547490
SiBoost Smart 3 HELIX V5206/2-ES	160.0 m ³ /h	1089.0 kg	16 bar	1	2547491
SiBoost Smart FC 4 HELIX V603	30.0 m ³ /h	268.0 kg	16 bar	-	2536061
SiBoost Smart FC 4 HELIX V604	30.0 m ³ /h	280.0 kg	16 bar	-	2536062
SiBoost Smart FC 4 HELIX V605	30.0 m ³ /h	289.0 kg	16 bar	-	2536063
SiBoost Smart FC 4 HELIX V606	30.0 m ³ /h	293.0 kg	16 bar	-	2536064
SiBoost Smart FC 4 HELIX V607	30.0 m ³ /h	313.0 kg	16 bar	-	2536065
SiBoost Smart FC 4 HELIX V608	30.0 m ³ /h	317.0 kg	16 bar	-	2536066
SiBoost Smart FC 4 HELIX V609	30.0 m ³ /h	330.0 kg	16 bar	-	2536067
SiBoost Smart FC 4 HELIX V610	30.0 m ³ /h	334.0 kg	16 bar	-	2536068
SiBoost Smart FC 4 HELIX V611	30.0 m ³ /h	338.0 kg	16 bar	-	2536069
SiBoost Smart FC 4 HELIX V612	30.0 m ³ /h	354.0 kg	16 bar	-	2536070
SiBoost Smart FC 4 HELIX V613	30.0 m ³ /h	358.0 kg	16 bar	-	2536071

Product list: Wilo-SiBoost Smart (FC) Helix V

Product description	System output without standby pump <i>Q</i>	Gross weight, approx. <i>m</i>	Maximum operating pressure <i>PN</i>	Number of standby pumps	Article number
SiBoost Smart FC 4 HELIX V614	30.0 m ³ /h	362.0 kg	16 bar	-	2536072
SiBoost Smart FC 4 HELIX V615	30.0 m ³ /h	366.0 kg	16 bar	-	2536073
SiBoost Smart FC 4 HELIX V616	30.0 m ³ /h	411.0 kg	16 bar	-	2536074
SiBoost Smart FC 4 HELIX V1002	48.0 m ³ /h	266.0 kg	16 bar	-	2536140
SiBoost Smart FC 4 HELIX V1003	48.0 m ³ /h	273.0 kg	16 bar	-	2536141
SiBoost Smart FC 4 HELIX V1004	48.0 m ³ /h	291.0 kg	16 bar	-	2536142
SiBoost Smart FC 4 HELIX V1005	48.0 m ³ /h	301.0 kg	16 bar	-	2536143
SiBoost Smart FC 4 HELIX V1006	48.0 m ³ /h	304.0 kg	16 bar	-	2536144
SiBoost Smart FC 4 HELIX V1007	48.0 m ³ /h	316.0 kg	16 bar	-	2536145
SiBoost Smart FC 4 HELIX V1008	48.0 m ³ /h	319.0 kg	16 bar	-	2536146
SiBoost Smart FC 4 HELIX V1009	48.0 m ³ /h	356.0 kg	16 bar	-	2536147
SiBoost Smart FC 4 HELIX V1010	48.0 m ³ /h	359.0 kg	16 bar	-	2536148
SiBoost Smart FC 4 HELIX V1011	48.0 m ³ /h	362.0 kg	16 bar	-	2536149
SiBoost Smart FC 4 HELIX V1012	48.0 m ³ /h	501.0 kg	16 bar	-	2536150
SiBoost Smart FC 4 HELIX V1013	48.0 m ³ /h	504.0 kg	16 bar	-	2536151
SiBoost Smart FC 4 HELIX V1015	48.0 m ³ /h	510.0 kg	16 bar	-	2536152
SiBoost Smart FC 4 HELIX V1603	78.0 m ³ /h	399.0 kg	16 bar	-	2536198
SiBoost Smart FC 4 HELIX V1604	78.0 m ³ /h	419.0 kg	16 bar	-	2536199
SiBoost Smart FC 4 HELIX V1605	78.0 m ³ /h	464.0 kg	16 bar	-	2536200
SiBoost Smart FC 4 HELIX V1606	78.0 m ³ /h	468.0 kg	16 bar	-	2536201
SiBoost Smart FC 4 HELIX V1607	78.0 m ³ /h	655.0 kg	16 bar	-	2536202
SiBoost Smart FC 4 HELIX V1608	78.0 m ³ /h	663.0 kg	16 bar	-	2536203
SiBoost Smart FC 4 HELIX V1609	78.0 m ³ /h	692.0 kg	16 bar	-	2536204

Product list: Wilo-SiBoost Smart (FC) Helix V

Product description	System output without standby pump <i>Q</i>	Gross weight, approx. <i>m</i>	Maximum operating pressure <i>PN</i>	Number of standby pumps	Article number
SiBoost Smart FC 4 HELIX V1610	78.0 m ³ /h	700.0 kg	16 bar	-	2536205
SiBoost Smart FC 4 HELIX V1611	78.0 m ³ /h	704.0 kg	16 bar	-	2536206
SiBoost Smart FC 4 HELIX V403	21.0 m ³ /h	258.0 kg	16 bar	-	2537600
SiBoost Smart FC 4 HELIX V404	21.0 m ³ /h	262.0 kg	16 bar	-	2537601
SiBoost Smart FC 4 HELIX V406	21.0 m ³ /h	274.0 kg	16 bar	-	2537602
SiBoost Smart FC 4 HELIX V407	21.0 m ³ /h	283.0 kg	16 bar	-	2537603
SiBoost Smart FC 4 HELIX V409	21.0 m ³ /h	287.0 kg	16 bar	1	2537604
SiBoost Smart FC 4 HELIX V410	21.0 m ³ /h	307.0 kg	16 bar	-	2537605
SiBoost Smart FC 4 HELIX V412	21.0 m ³ /h	311.0 kg	16 bar	1	2537606
SiBoost Smart FC 4 HELIX V414	21.0 m ³ /h	328.0 kg	16 bar	-	2537607
SiBoost Smart FC 4 HELIX V416	21.0 m ³ /h	332.0 kg	16 bar	-	2537608
SiBoost Smart FC 4 HELIX V418	21.0 m ³ /h	336.0 kg	16 bar	-	2537609
SiBoost Smart FC 4 HELIX V2202-ES	102.0 m ³ /h	585.0 kg	16 bar	1	2547407
SiBoost Smart FC 4 HELIX V2203-ES	102.0 m ³ /h	607.0 kg	16 bar	1	2547408
SiBoost Smart FC 4 HELIX V2204-ES	102.0 m ³ /h	776.0 kg	16 bar	1	2547409
SiBoost Smart FC 4 HELIX V2205-ES	102.0 m ³ /h	892.0 kg	16 bar	1	2547410
SiBoost Smart FC 4 HELIX V2206-ES	102.0 m ³ /h	900.0 kg	16 bar	1	2547411
SiBoost Smart FC 4 HELIX V2207-ES	102.0 m ³ /h	856.0 kg	16 bar	1	2547412
SiBoost Smart FC 4 HELIX V2208-ES	102.0 m ³ /h	976.0 kg	16 bar	1	2547413
SiBoost Smart FC 4 HELIX V3602/2-ES	165.0 m ³ /h	664.0 kg	16 bar	1	2547464
SiBoost Smart FC 4 HELIX V3602-ES	165.0 m ³ /h	824.0 kg	16 bar	1	2547465
SiBoost Smart FC 4 HELIX V3603/1-ES	165.0 m ³ /h	904.0 kg	16 bar	1	2547466
SiBoost Smart FC 4 HELIX V3603-ES	165.0 m ³ /h	1012.0 kg	16 bar	1	2547467

Product list: Wilo-SiBoost Smart (FC) Helix V

Product description	System output without standby pump <i>Q</i>	Gross weight, approx. <i>m</i>	Maximum operating pressure <i>PN</i>	Number of standby pumps	Article number
SiBoost Smart FC 4 HELIX V3604/2-ES	165.0 m ³ /h	1036.0 kg	16 bar	1	2547468
SiBoost Smart FC 4 HELIX V3604-ES	165.0 m ³ /h	1036.0 kg	16 bar	1	2547469
SiBoost Smart FC 4 HELIX V3605/2-ES	165.0 m ³ /h	1328.0 kg	16 bar	1	2547470
SiBoost Smart FC 4 HELIX V3605-ES	165.0 m ³ /h	1328.0 kg	16 bar	1	2547471
SiBoost Smart FC 4 HELIX V3606/2-ES	165.0 m ³ /h	1336.0 kg	16 bar	1	2547472
SiBoost Smart FC 4 HELIX V3606-ES	165.0 m ³ /h	1386.0 kg	16 bar	1	2547473
SiBoost Smart FC 4 HELIX V5202/2-ES	240.0 m ³ /h	959.0 kg	16 bar	1	2547519
SiBoost Smart FC 4 HELIX V5202-ES	240.0 m ³ /h	1083.0 kg	16 bar	1	2547520
SiBoost Smart FC 4 HELIX V5203/2-ES	240.0 m ³ /h	1151.0 kg	16 bar	1	2547521
SiBoost Smart FC 4 HELIX V5203-ES	240.0 m ³ /h	1151.0 kg	16 bar	1	2547522
SiBoost Smart FC 4 HELIX V5204/2-ES	240.0 m ³ /h	1416.0 kg	16 bar	1	2547523
SiBoost Smart FC 4 HELIX V5204-ES	240.0 m ³ /h	1416.0 kg	16 bar	1	2547524
SiBoost Smart FC 4 HELIX V5205/2-ES	240.0 m ³ /h	1478.0 kg	16 bar	1	2547525
SiBoost Smart FC 4 HELIX V5205-ES	240.0 m ³ /h	1478.0 kg	16 bar	1	2547526
SiBoost Smart FC 4 HELIX V5206/2-ES	240.0 m ³ /h	1486.0 kg	16 bar	1	2547527
SiBoost Smart 4 HELIX V603	30.0 m ³ /h	237.0 kg	16 bar	-	2536019
SiBoost Smart 4 HELIX V604	30.0 m ³ /h	249.0 kg	16 bar	-	2536020
SiBoost Smart 4 HELIX V605	30.0 m ³ /h	258.0 kg	16 bar	-	2536021
SiBoost Smart 4 HELIX V606	30.0 m ³ /h	262.0 kg	16 bar	-	2536022
SiBoost Smart 4 HELIX V607	30.0 m ³ /h	282.0 kg	16 bar	-	2536023
SiBoost Smart 4 HELIX V608	30.0 m ³ /h	286.0 kg	16 bar	-	2536024
SiBoost Smart 4 HELIX V609	30.0 m ³ /h	298.0 kg	16 bar	-	2536025
SiBoost Smart 4 HELIX V610	30.0 m ³ /h	302.0 kg	16 bar	-	2536026

Product list: Wilo-SiBoost Smart (FC) Helix V

Product description	System output without standby pump Q	Gross weight, approx. m	Maximum operating pressure PN	Number of standby pumps	Article number
SiBoost Smart 4 HELIX V611	30.0 m ³ /h	306.0 kg	16 bar	-	2536027
SiBoost Smart 4 HELIX V612	30.0 m ³ /h	322.0 kg	16 bar	-	2536028
SiBoost Smart 4 HELIX V613	30.0 m ³ /h	326.0 kg	16 bar	-	2536029
SiBoost Smart 4 HELIX V614	30.0 m ³ /h	330.0 kg	16 bar	-	2536030
SiBoost Smart 4 HELIX V615	30.0 m ³ /h	334.0 kg	16 bar	-	2536031
SiBoost Smart 4 HELIX V616	30.0 m ³ /h	379.0 kg	16 bar	-	2536032
SiBoost Smart 4 HELIX V1002	48.0 m ³ /h	234.0 kg	16 bar	-	2536101
SiBoost Smart 4 HELIX V1003	48.0 m ³ /h	241.0 kg	16 bar	-	2536102
SiBoost Smart 4 HELIX V1004	48.0 m ³ /h	259.0 kg	16 bar	-	2536103
SiBoost Smart 4 HELIX V1005	48.0 m ³ /h	268.0 kg	16 bar	-	2536104
SiBoost Smart 4 HELIX V1006	48.0 m ³ /h	271.0 kg	16 bar	-	2536105
SiBoost Smart 4 HELIX V1007	48.0 m ³ /h	283.0 kg	16 bar	-	2536106
SiBoost Smart 4 HELIX V1008	48.0 m ³ /h	286.0 kg	16 bar	-	2536107
SiBoost Smart 4 HELIX V1009	48.0 m ³ /h	323.0 kg	16 bar	-	2536108
SiBoost Smart 4 HELIX V1010	48.0 m ³ /h	326.0 kg	16 bar	-	2536109
SiBoost Smart 4 HELIX V1011	48.0 m ³ /h	329.0 kg	16 bar	-	2536110
SiBoost Smart 4 HELIX V1012	48.0 m ³ /h	385.0 kg	16 bar	-	2536111
SiBoost Smart 4 HELIX V1013	48.0 m ³ /h	388.0 kg	16 bar	-	2536112
SiBoost Smart 4 HELIX V1015	48.0 m ³ /h	394.0 kg	16 bar	-	2536113
SiBoost Smart 4 HELIX V1603	78.0 m ³ /h	366.0 kg	16 bar	-	2536171
SiBoost Smart 4 HELIX V1604	78.0 m ³ /h	386.0 kg	16 bar	-	2536172
SiBoost Smart 4 HELIX V1605	78.0 m ³ /h	431.0 kg	16 bar	-	2536173
SiBoost Smart 4 HELIX V1606	78.0 m ³ /h	435.0 kg	16 bar	-	2536174

Product list: Wilo-SiBoost Smart (FC) Helix V

Product description	System output without standby pump <i>Q</i>	Gross weight, approx. <i>m</i>	Maximum operating pressure <i>PN</i>	Number of standby pumps	Article number
SiBoost Smart 4 HELIX V1607	78.0 m ³ /h	546.0 kg	16 bar	-	2536175
SiBoost Smart 4 HELIX V1608	78.0 m ³ /h	554.0 kg	16 bar	-	2536176
SiBoost Smart 4 HELIX V1609	78.0 m ³ /h	583.0 kg	16 bar	-	2536177
SiBoost Smart 4 HELIX V1610	78.0 m ³ /h	591.0 kg	16 bar	-	2536178
SiBoost Smart 4 HELIX V1611	78.0 m ³ /h	595.0 kg	16 bar	-	2536179
SiBoost Smart 4 HELIX V403	21.0 m ³ /h	227.0 kg	16 bar	-	2537570
SiBoost Smart 4 HELIX V404	21.0 m ³ /h	231.0 kg	16 bar	-	2537571
SiBoost Smart 4 HELIX V406	21.0 m ³ /h	243.0 kg	16 bar	-	2537572
SiBoost Smart 4 HELIX V407	21.0 m ³ /h	252.0 kg	16 bar	-	2537573
SiBoost Smart 4 HELIX V409	21.0 m ³ /h	256.0 kg	16 bar	-	2537574
SiBoost Smart 4 HELIX V410	21.0 m ³ /h	276.0 kg	16 bar	-	2537575
SiBoost Smart 4 HELIX V412	21.0 m ³ /h	280.0 kg	16 bar	-	2537576
SiBoost Smart 4 HELIX V414	21.0 m ³ /h	296.0 kg	16 bar	-	2537577
SiBoost Smart 4 HELIX V416	21.0 m ³ /h	300.0 kg	16 bar	-	2537578
SiBoost Smart 4 HELIX V418	21.0 m ³ /h	304.0 kg	16 bar	-	2537579
SiBoost Smart 4 HELIX V2202-ES	102.0 m ³ /h	551.0 kg	16 bar	1	2547386
SiBoost Smart 4 HELIX V2203-ES	102.0 m ³ /h	572.0 kg	16 bar	1	2547387
SiBoost Smart 4 HELIX V2204-ES	102.0 m ³ /h	627.0 kg	16 bar	1	2547388
SiBoost Smart 4 HELIX V2205-ES	102.0 m ³ /h	743.0 kg	16 bar	1	2547389
SiBoost Smart 4 HELIX V2206-ES	102.0 m ³ /h	751.0 kg	16 bar	1	2547390
SiBoost Smart 4 HELIX V2207-ES	102.0 m ³ /h	760.0 kg	16 bar	1	2547391
SiBoost Smart 4 HELIX V2208-ES	102.0 m ³ /h	780.0 kg	16 bar	1	2547392
SiBoost Smart 4 HELIX V3602/2-ES	165.0 m ³ /h	639.0 kg	16 bar	1	2547434

Product list: Wilo-SiBoost Smart (FC) Helix V

Product description	System output without standby pump Q	Gross weight, approx. m	Maximum operating pressure PN	Number of standby pumps	Article number
SiBoost Smart 4 HELIX V3602-ES	165.0 m ³ /h	702.0 kg	16 bar	1	2547435
SiBoost Smart 4 HELIX V3603/1-ES	165.0 m ³ /h	782.0 kg	16 bar	1	2547436
SiBoost Smart 4 HELIX V3603-ES	165.0 m ³ /h	843.0 kg	16 bar	1	2547437
SiBoost Smart 4 HELIX V3604/2-ES	165.0 m ³ /h	867.0 kg	16 bar	1	2547438
SiBoost Smart 4 HELIX V3604-ES	165.0 m ³ /h	867.0 kg	16 bar	1	2547439
SiBoost Smart 4 HELIX V3605/2-ES	165.0 m ³ /h	1236.0 kg	16 bar	1	2547440
SiBoost Smart 4 HELIX V3605-ES	165.0 m ³ /h	1236.0 kg	16 bar	1	2547441
SiBoost Smart 4 HELIX V3606/2-ES	165.0 m ³ /h	1244.0 kg	16 bar	1	2547442
SiBoost Smart 4 HELIX V3606-ES	165.0 m ³ /h	1289.0 kg	16 bar	1	2547443
SiBoost Smart 4 HELIX V5202/2-ES	240.0 m ³ /h	787.0 kg	16 bar	1	2547492
SiBoost Smart 4 HELIX V5202-ES	240.0 m ³ /h	911.0 kg	16 bar	1	2547493
SiBoost Smart 4 HELIX V5203/2-ES	240.0 m ³ /h	932.0 kg	16 bar	1	2547494
SiBoost Smart 4 HELIX V5203-ES	240.0 m ³ /h	932.0 kg	16 bar	1	2547495
SiBoost Smart 4 HELIX V5204/2-ES	240.0 m ³ /h	1324.0 kg	16 bar	1	2547496
SiBoost Smart 4 HELIX V5204-ES	240.0 m ³ /h	1324.0 kg	16 bar	1	2547497
SiBoost Smart 4 HELIX V5205/2-ES	240.0 m ³ /h	1381.0 kg	16 bar	1	2547498
SiBoost Smart 4 HELIX V5205-ES	240.0 m ³ /h	1381.0 kg	16 bar	1	2547499
SiBoost Smart 4 HELIX V5206/2-ES	240.0 m ³ /h	1389.0 kg	16 bar	1	2547500